

Atkinson Equipment Limited

Moat Road, West Wilts Trading Estate, Westbury, Wiltshire, BA13 4JF Tel: 01373 822220 Fax: 01373 826996

VISIT OUR WEBSITE: www.atkinsonequipment.com TO BUY ONLINE : www.fueldump.co.uk

email: sales@atkinsonequipment.com

TRADE PRICE LIST ~ Ex-works, Excluding VAT

EFFECTIVE February 2014

Tel :- 01373 822220

Fax :- 01373 826996



Oil Heating Products



Refueling Products



PRICES MAY CHANGE AT ANY TIME WITHOUT NOTICE

Delivery Terms & Costs

Minimum Credit Order Value £30.00 net goods



Carriage & Packing to UK Mainland:

1st Class Royal Mail upto 1Kilo **£7.50**

Orders over **£360** Free standard service

Standard Next Day Service **£10.50**(subject to location)

Next Day Premium Services

Before 12.30pm **£16.50** (South of Glasgow)

Before 10.30am **£24.00**

Before 9.30am **£30.00**

Pallet Rate 2-3 day **£50.00**

Carriage & Packing to:

Orders value

	Over £360	Under £360
Scottish Highland & Islands		
Channel Islands	£18.00	£24.50
Northern Ireland		
Southern Ireland	£20.00	£28.00

Pallet Rate :- Price On Application

Index

Heating Products Section

Page No.

Refueling Products Section

Page No.

Atkinson Filter Valves	5
Atkinson Tank Alarms - Overfill & Bund	5
Atkinson Tanktop - Top Off Take Valve	5
Draught Stabilisers and regulators	11
Drum Gauges	4
Fire Valves - Cappillary fire valves	9
Fire Valves - Fusible Head, Solenoid	8
Fire Valves -Drop Weight, Lever	8
Flexible Oil lines	7
Float Gauges	4
Heating oil flow meters	10
Hydrostatic Gauges and level indicators	4
Inline Filters & Filter Elements	6
Oil Lifter pumps	10
Overfill Prevention Valves	1
Plastic Tank Adaptors	2
Plastic Tank Fill Points	1
Pressure Regulating Valves	7
Push Button Sight Gauges & Spares	3
Tank Accessories - Vent caps, Filler caps	7
Tank Security - Locking vents & caps	7
Tankmaster Valves & Spares	2
Thermocouples	11a
Tigerloops - Deaerators	10
Water Finding Paste	7
Water Removal Hogs/Tank Dryers	7

Adblue Pumping Equipment	24
Automatic Shut Off Fuel Nozzles	13
Breakaway Couplings	13
Cam & Groove Couplings	29
Clearance Pumps	25
Diesel Dispensing Kits (Gravity)	15
Diesel Management Systems	23
Digital Turbine (inline) Flow Meters	18/19
Drill pumps	20
Electric Transfer Pumps	21-23
Engine Driven Pumps	25
Flow Meter Accessories	19
Fuel Filters - Diesel (Inline)	27
Fuel Flow Meters	17
Fuel Hose	16
Fuel Hose Reels & Wall Brackets	28
Glues & Thread Sealing Products	29
Hand Pumps	20
Hose Tails/Swivels, Hose Swivel Joints	14
Manual Fuel Nozzles	13
Non Return Valves	30
Nozzle Holsters	13
Oil Pumps	25
Pipe Fittings, Nipples, bushes & Reducers	31
Pressure Gauges	14
Pressure Relief Valves	29
Submersible Pumps	26
Transfer Pump Kits	22
Timers, Switches & Connectors	14
Water/Diesel Pumps	26
Y Strainers, Lever Ball Valves, Gate Valves	30



sales@atkinsonequipment.com



Tel :- 01373 822220

Fax :-01373 826996



Atkinson Equipment Ltd
Moat Road
West Wiltshire Trading Estate
Westbury
Wiltshire
BA13 4JF

If you require an account with us, please fill in the application form in the back of this catalogue and fax to 01373 826996, Please also read our terms and conditions, sign and fax back to us on the same number.

A member of our accounts team will review your application and be in touch.

Oil Heating Products Section



www.atkinsonequipment.com

Overfill Prevention Valves

Unique Features of the Atkinson Filstop

Universal Pattern, with plastic tank (with manhole) Fitting adaptor
Extruded Aluminium float with cross drilled spindle
Reduced ullage to 120mm

Performance Characteristics

(Tested in accordance with EN13616:2004)

Maximum Flow >580lpm
Minimum Flow <23lpm
Maximum Pressure 8 bar
Maximum Spike pressure 12 bar
Minimum pressure 150mb
Leak Rate when closed <2.5lpm



For Plastic Tanks, 2" BSP C/W Fitted Flange & Nut
For Steel Tanks, 2" BSP Parallel threaded body
Filler cap, green plastic, C/W Chain & Fastener
Steel Hex Nut 2" BSP
Overfill Prevention Valve Fitting Tool

Part no	Trade Price
GV4000	82.00
GV4300	78.00
FC5080	2.95
PTF-NUT	4.21
GV5000	6.10

Dry Break Coupling 2" Stainless Steel (see adblue section page 24)

DBC-1000 150.00



Plastic Tank Fill Points

Plastic Tank Nut, 2" BSP
Plastic Tank Fitting
Plastic Tank Fitting O-Ring 55.5mm * 3mm
2" BSPT Male x 2" BSPP Male Hex Nipple
Plastic Tank Fitting - Stainless Steel 2" BSP
2" BSP Nut - Stainless Steel
2" BSP male x 1.5" Female Tank Fitting - Mild Steel

PTF-NUT	4.21
PTF1000	12.55
PTF1050	0.70
PTF-2/2	17.50
PTF1000-316ST-STL	40.00
PTF-NUT-ST-STL	33.45
PTF1000-1.5	13.50

Atkinson Plastic Tank Fill Point Kit

Includes PTF-NUT, PTF-1000, PTF-1050, FC5100



PTF3000 19.75

Atkinson Off Set Fill Kit

2" Off set fill point with
Bracket valve and Non Return valve



(Hose Tail) BVP-5101 145.00
(2" BSP Thread) BVP-5100 135.00

Tankmaster Valves + Sight Tubes

Tankmaster Valve Body

TM Sight Tube Assembly Only (1370mm) 4'6" UPVC
 TM Sight Tube Assembly Only (1520mm) 5' UPVC
 TM Sight Tube Assembly Only (1830mm) 6' ALU
 TM Sight Tube Assembly Only (2440mm) 8' ALU
 TM Sight Tube Assembly Only (2743mm) 9' ALU
 TM Sight Tube Assembly Only (3050mm) 10' ALU
 Aluminium shield instead of UPVC

UPVC shield supplied as standard on tubes up to 5ft, Aluminium supplies on 6-10ft models for rigidity



Part No	Trade
TM4790	36.60
TM4480	6.80
TM4490	7.99
TM4500	9.90
TM4520	14.00
TM4521	16.20
TM4522	18.00
Additional	0.75

Tankmaster Spares & Fittings

Sight Gauge Green Ball Level Indicator
 Filter Replacement Kit (Element & Seals)
 3/8" BSP - 15mm Compression Fitting
 Nut (3/8") + Olive 10mm
 Nut (3/8") + Olive 3/8"
 'O' Rings (set of 9)
 Filter Bowl
 On/Off Handwheel
 On/Off Handwheel Circlip
 Pull to Read Valve
 Tank Union + Valve
 Bolt and Seal for Filter Bowl
 Olive 10mm, Brass
 Olive 3/8", Brass
 Tube Nipple & O'Ring
 10mm Copper Insert
 Sight Shield Coupler
 Top Cap, Black



Part No	Trade
SG2000	1.05
TM4660F	4.65
GFH3540	1.70
TM4175/4171	1.75
TM4175/4161	1.80
TM4400	3.95
TM4326	4.95
TM4310	5.10
TM4410	0.34
TM4155	6.10
TM4565	7.99
TM4675/4390	1.80
TM4171-10	0.70
TM4161	0.70
TM4071/4072	3.50
TM4172	0.29
SG2170	0.97
COM2180	0.80

Tankmaster upgrade & service kits

Tankmaster Service Kit - Including :-

Filter element & seals,
 tube nipple, top cap & 2m of sight tube



TM4660SK	8.50
----------	------

Tankmaster Series I to series II upgrade Kit

Including :- Filter element & seals,
 o-ring kit, filter bowl & bolt,
 top cap, tube nipple, nut & olives



TM4790-UG	22.52
-----------	-------

Tankmaster Service Kit + Upgrade Kit,

Including :- Filter element & seals, o-ring kit,
 filter bowl & bolt, top cap, tube nipple,
 nut & olives, 2m of sight tube.



TM4790UG/SK	26.65
-------------	-------

DESCRIPTION**Push Button sight Gauges**

(1370mm) 4ft6" x ½" Sight Gauge UPVC
 (1520mm) 5ft x ½" Sight Gauge UPVC
 (1830mm) 6ft x ½" Sight Gauge ALU
 (2440mm) 8ft x ½" Sight Gauge ALU
 (3050mm) 10ft x ½" Sight Gauge ALU

(1370mm) 4ft6" x ¾" Sight Gauge UPVC
 (1520mm) 5ft x ¾" Sight Gauge UPVC
 (1830mm) 6ft x ¾" Sight Gauge ALU
 (2440mm) 8ft x ¾" Sight Gauge ALU
 (3050mm) 10ft x ¾" Sight Gauge ALU

(1370mm) 4ft6" x 1" Sight Gauge UPVC
 (1520mm) 5ft x 1" Sight Gauge UPVC
 (1830mm) 6ft x 1" Sight Gauge ALU
 (2440mm) 8ft x 1" Sight Gauge ALU
 (3050mm) 10ft x 1" Sight Gauge ALU



Stock No **Trade**

SG1550 20.29
 SG1551 20.56
 SG1552 21.52
 SG1554 23.68
 SG1556 24.09

SG1557 21.63
 SG1558 22.04
 SG1559 23.06
 SG1561 25.11
 SG1562 26.14

SG1564 24.80
 SG1565 25.20
 SG1566 26.32
 SG1568 27.80
 SG1570 30.08

Aluminium shield instead of UPVC on 4'6 to 5' Sight Gauges

Additional 0.75

UPVC shield supplied as standard on tubes up to 5ft, Aluminium supplied on 6-10ft models for rigidity

Sight Gauge Spares

Union with Nut 1/2" BSP SG1195/96 8.20
 Union with Nut 3/4" BSP SG1200/02 11.50
 Union with Nut 1" BSP SG1210/12 12.50
 Valve + Nipple for PBG PB5290 10.95

Sight Shield, UPVC, Per 4.5 ft Cut Length COM2024 6.65
 Sight Shield, UPVC, Per 5 ft Cut Length COM2035 6.85
 Sight Shield, Aluminium, Per 4'6" Cut Length COM2020 8.15
 Sight Shield, Aluminium, Per 6' Cut Length COM2040 8.70
 Sight Shield, Aluminium, Per 7' Cut Length COM2047 9.50
 Sight Shield, Aluminium, Per 8' Cut Length COM2048 10.00
 Sight Shield, Aluminium, Per 10' Cut Length COM2050 10.75

Sight Shield Coupler SG2170 0.97
 Top Cap, Black COM2180 0.80
 Top Standoff Clip C/W Screws COM2110 1.30
 PVC Sight Tubing 30m coil - Priced Per Meter COM2080 2.07
 PVC Sight Tubing 60m coil - Priced Per Meter COM2080 1.63
 PVC Sight Tubing cut lengths - Priced Per Meter COM2080 2.39
 Sight Gauge Green Ball Level Indicator SG2000 1.05



Tank Level Gauges

Part No Trade

Piusi OCIO Electronic, Hydrostatic Gauges

Piusi Ocio RS, C/W RS Connection
 Piusi Ocio Desk, PC Software for up to 1 Tank
 Piusi Ocio Desk, PC Software for up to 4 Tank



P8-F0075510D 387.00
 P8-F00755S1A 664.30
 P8-F00755S0B 1128.60

Additional Tube for Ocio per meter
 Piusi Ocio Oil Terminal (2000cst max)

M5066-N 1.20
 P8-F12939000 27.30

Hydrostatic Contents Gauges (mechanical)

Normond E'Series - Units indicate volume in %
 Universal for Horizontal or Vertical Tanks
 Tanks 0-2m Deep
 Tanks 2 - 4.5m Deep
 Tanks 4.5 - 9.2m Deep



D406-200-1000 340.00
 D406-450-1000 340.00
 D406-900-1000 340.00

Watts Televar - Units indicate volume in %

Kit To Suit Vertical Tank 0-3m Deep
 Kit To Suit Cylindrical, Horizontal Tank 0-3m Deep



D2000 78.00
 D2100 78.00

FEL - Units indicate volume in Litres

100mm Dia Gauge, Tank Specific - Please advise make and model
 150mm Dia Gauge, Tank Specific - Please advise make and model
 250mm Dia Gauge, Tank Specific - Please advise make and model
 External Sensor (For fitting inline into 3/4" bottom offtake pipework)
 Internal Sensor (For fitting through the top of the tank)
 Capillary tubing for above, as required, Per meter
 4-20ma output option available

D20300 POA
 D20301 POA
 D20302 POA
 D20310 POA
 D20311 POA
 D20311 POA
 D20316 POA

Float Gauges

Foat Gauge AFG30 - 3ft .90m
 Float Gauge AFG40 - 4ft 1.22m
 Float Gauge AFG60 - 6ft 1.80m
 Float Gauge Universal 0 - 2000mm 6.5"
 Combivent Tank Fitting Adaptor 2" to 1 1/2" BSP



D1593 19.88
 D1600 19.88
 D1610 19.88
 D1620 19.88
 V6164 11.67

205L Drum Gauges, now includes push button valve

With Plastic Tap
 With Steel Tap
 With Self Closing Tap
 3/4" Metal Tap only
 3/4" Self Closing Tap
 3/4" Plastic Tap only
 2" PVC Tap only



DG1910 22.00
 DG1911 32.97
 DG1912 26.00
 DG1890 12.66
 DG1909 11.00
 DG1900 1.80
 DG1902 12.00

Atkinson Tanktop, Top Offtake System

Part No

Trade

The Atkinson Tanktop is the WORLDS FIRST AND ONLY Top Offtake System with all of the necessary features to responsibly draw oil from the top of a tank

Fixed Pressure, Factory set, Max 1.5m negative head
 EC Reg Des No; 000472493-0001
 Diaphragm Anti Siphon Valve
 Anti Spill Valve
 Non Return Valve
 50 Micron Filter
 Silicone Suction Tube
 Floating Suction Head
 Purging / Priming Button
 Tank Inlet Fitting 1"BSP
 Surface Gasket, Totally Weatherproof



Atkinson Tanktop, Top Offtake Valve	TTV-01	76.50
Filter Kit, Including Filter, and Viton Orings	TTV-FILTER	4.50
Replacement Anti Siphon Module	TTV-ASMODULE	45.00
Test Kit, Suction Pump & Gauge	TTV-TESTKIT	119.50

Atkinson Filter-Valve Series

Both Valves Feature;
 Isolation Ball Valve
 52 Micron Disposable Nylon Filter Element
 10mm Copper Compression Fitting Outlet
 1" Male BSPT tank fitting adaptor, PTFE Tape



Inline filter valve kit with Hydraulic Positioning Fitting	AFV-1000	19.00
Inline Filter Valve 1" tank fitting to one 10mm outlet	AFV-1001	19.50
Inline Filter Valve with 2x outlets at 90 deg to tank	AFV-1002	30.05
Filter and Seal Kit for Atkinson Filter Valve AFV-1000	AFV-1000-KIT	4.65
Filter and Seal Kit for Atkinson Filter Valve AFV-1001 & AFV1002	TM4600F	4.65

Atkinson Overfill & Bund Alarms

Bund Alarm, Battery	TA1050	95.50
Bund Alarm, Mains 230V50hz	TA1040	134.00
Low Level Alarm		POA
Overfill Alarm, Battery	TA1010	95.50
Overfill Alarm, Mains 230V50hz	TA1020	131.00
Combined Bund/Overfill, Battery, Reset Button	TA1070	132.00
Combined Bund/Overfill, Battery	TA1055	125.00
Combined Bund/Overfill, Mains 230V50hz	TA1080	168.00
Combined Bund/Overfill, Mains, With Volt Free contact on Bund	TA1080-VF	250.00
Combined Low Level/Overfill, Mains 230V50hz		POA



Inline Filters & Replacement Elements

Part No

Trade

Atkinson Filter**NEW****1/4" to 10mm compression Aluminium Body Steel Bowl**

Replacement filter KIT for above



M5040-A

12.95

TM4600F

4.65

1/4" All Aluminium

Replacement filter for above

100 Micron S/Steel

Paper Option

15 Micron



M5070

6.45

M5040-RF

3.57

M5040-RPF

3.57

1/4" Alu Head Plastic Bowl

Replacement filter for above

100 Micron S/Steel

Paper Option

15 Micron

Support Bracket



M5074

8.52

M5040-RF

3.57

M5040-RPF

3.57

M-Bracket-04-06

2.50

3/8" All Aluminium

Replacement filter for above

15 micron

Stainless Option

100 micron s/steel

Support Bracket



M5040-P

11.07

M5040-RPF

3.57

M5040-RF

3.57

M-Bracket-04-06

2.50

3/8" Ali Head Plastic Bowl

Replacement filter for above

15 micron

Stainless Option

100 micron

Support Bracket



M5045-P

4.64

M5040-RPF

3.57

M5040-RF

3.57

M-Bracket-04-06

2.50

3/8" Ali Head Plastic Bowl

Replacement filter for above

100 micron s/steel

Paper Option

15 micron

Support Bracket



M5045

9.17

M5040-RF

3.57

M5040-RPF

3.57

M-Bracket-04-06

2.50

3/8" All Aluminium

Replacement filter for above

100 micron s/steel

Paper Option

15 micron

Support Bracket



M5040

4.64

M5040-RF

3.57

M5040-RPF

3.57

M-Bracket-04-06

2.50

3/8" Ali head plastic bowl

Replacement filter for above

100 micron s/steel

Support Bracket



GFH3578-W-3/8

33.38

GFH3578-3/8-RF

4.71

M503-Bracket

2.80

1/2" All Aluminium

Replacement filter for above

Not available



M5035

13.36

1/2" Ali head plastic bowl

Replacement filter for above

100 micron s/steel

Paper option

15 micron

Support Bracket



M5035-P

21.12

M5035-RF

7.43

M5035-RPF

5.98

M503-Bracket

2.80

3/4" All Aluminium

Replacement filter for above

100 micron S/steel

Support Bracket



M5075

40.64

M5080-RF

15.95

M-Bracket-12-16

12.50

1" All Aluminium

Replacement filter for above

100 micron S/Steel

Support Bracket



M5080

48.65

M5080-RF

15.95

M-Bracket-12-16

12.50

Tank Accessories

	Stock No	Trade
Water Finding Paste Kolor Kut 3oz Tube	WFP-1000	12.97
Tank Dryer - Water absorbant upto 350ml for diesel and kerosene	TD-0350	18.45
Vent Cap for 2" Male BSP, Green Polypropylene	V5090	1.90
Vent Cap for 2" Female BSP, Green Polypropylene	V5095	1.85
Ventatank, universal, up to 3", Green Polypropylene	V5180	4.80
Filler Cap 2" BSP Green Polypropylene with chain.	FC5080	2.95
Filler Cap 2" BSP Green Polypropylene less chain.	FC5081	2.05
Filler Cap, 2" BSP Aluminium	FC2000-AL	9.88
Filler Cap, 2" BSP Brass	FC2000-BR	17.90
Filler Cap, 2" BSP Stainless Steel	BC2000-SS	26.40
Filler Cap, 2" BSP Polypropylene	BC2000-PP	5.75
Sludge Valve 3/4"	SV1760	8.20

Atkinson Plastic Tank Fill Point Kit

Includes PTF-nut, PTF-1000, PTF-1050, FC5100	PTF-3000	19.75
--	----------	-------

Atkinson Equipment Locking Fill Point Cap MADE IN ENGLAND

Complete Kit inc Padlock (2" BSP)	AFC2000-PL	55.00
Locking Cap Only	FC2000-LC	15.00
Shear Screw Only	FC2000-LSS	1.75
Padlock Only, 4 Digit	FC2000-PL	10.72
Vent Cap, Aluminium, Locking (Including Shear Screws)	LVC1000	14.85
Tank Lock - Adjustable Lock for Inspection Hatches	TKL-2000	45.00

Plastic Tank Extension Adaptors

(90 mm) 3 1/2" x 1" M - 1/2" F BSP Aluminium	TM4545	4.35
(160 mm) 6 3/4" x 1" M - 1/2" F BSP Aluminium	TM4549	5.80
(180 mm) 7 1/4" x 1" M - 1/2" F BSP Aluminium	TM4547	6.10

Pressure Regulating Valves

For Agas, Pre Set to 100mb, 10mm	GV393006030	39.76
Cash Acme A31S 2-25 PSI Adjustable + Gauge, 3/8"	GV3925	126.03

Anti-Siphon Valves

Anti-Siphon Valve, 3/8" , Adjustable 0-4m, GOK	GS2060	83.50
--	--------	-------

Volumetric In-line Oil Meters (Mechanical)

HZ3 (0.18 to 12 Litre/hour)	HZ3	342.85
VZ04 (1 to 50 Litre/hour)	F3794	277.50
VZ04 (1 to 50 Litre/hour) Pulse Output Meter	F5794-P	411.90
VZ08 (4 to 135 Litre/hour)	F3795	361.90
Compression Fittings For VZ04 (1/8" BSPM-10mm)	F3790	7.35
Compression Fittings For VZ08 / HZ3 (1/4" BSPM-10mm)	F3791	7.35
VZ015 (10 to 400 Litre/hour) Threaded	F3796	829.17
VZ015 (10 to 400 Litre/hour) Threaded Pulse Output	F3796-P	1021.50
VZ020 (30 to 1000 Litre/hour) Threaded	F3800	950.00
VZ025 (75 to 2000 Litre/hour) Threaded	F3801	1147.95
VZ040 (225 to 6000 Litre/hour) Threaded	F3802	2116.70

Free Fall Fire Valves

BSP Female Threaded

Firevalve Kit 1/2" BSP (15mm)

Firevalve Kit 3/4" BSP (20mm)

Firevalve Kit 1" BSP (25mm)

Firevalve Kit 1 1/2" BSP (40mm)

Firevalve Kit 2" BSP (50mm)

**Part No****Trade**

FV20-001 254.65

FV20-003 244.00

FV20-005 268.00

FV20-009 309.71

FV20-011 498.85

Deadweight

Firevalve Kit 1" BSP (25mm)

FV10-014 190.50

PN16 Flanged

Firevalve Kit 1/2" BSP (15mm)

FV20-002 322.00

Firevalve Kit 3/4" BSP (20mm)

FV20-004 322.00

Firevalve Kit 1" BSP (25mm)

FV20-006 338.00

Firevalve Kit 1 1/2" BSP (40mm)

FV20-010 390.00

Firevalve Kit 2" BSP (50mm)

FV20-012 512.00

Low Level Linkage Kits, Freestanding, C/W Bolts

15-25mm Valves

FV20-140 232.00

32-40mm Valves

FV20-141 232.00

Spares

Brass Slotted Link

FV20-033 16.30

Manual Quick Release

FV20-160 63.95

Pulley 40mm Dia 1/4" BSP

FV20-070 12.95

Pulley 40mm Dia Wood Screw

FV20-072 8.95

Stainless Steel Cable 9m

FV20-080 25.16

Stainless Steel Cable 30m

FV20-081 90.55

Galvanised Steel Cable 9m

FV20-080G 8.93

Eutectic Soldered Fusible Links, C/W S Hooks 71deg

FV20-090 6.50

Eutectic Soldered Fusible Links, C/W S Hooks 92deg

FV20-091 9.45

Cable Tensioner Spring, For 15-40mm Valve

FV20-100 4.55

Cable Tensioner Spring, For 50-80mm Valve

FV20-101 4.55

Caution Sign, Laminated, 150 X 100mm

FV20-107 6.50

Lubricating Compound (No 17)

FV20-052 42.1

Lubricating Compound (No 44)

FV20-053 51.95

Mercury Switch 240v

FV20-150 94.81

Lever Fire Valve Kits

C/W - 9m cable, 2 pulleys, 1 link, 1 spring, 1 anchor, 6 ferrules

3/8"

FV10-010 37.80

1/2"

FV10-011 65.50

3/4"

FV10-012 91.50

**Fusible Head Fire Valves**

Fusible Head Fire Valve, 3/8" to 10mm Compression Fittings

FV2010 5.10

**Solenoid & Motorised Oil Control Valves, 230vAC 50Hz 0.3bar opening. (Zero rated available)**

Electro thermal link 72 Celcius (Higher deg trip POA)

FV20-170 POA

Wall mounted manual change over "knock off" switch 240V

FV20-155 POA

1/2" Solenoid Valve 240V, Auto reset, normally closed (power open)

FV20-641 POA

3/4" Solenoid Valve 240V, Auto reset, normally closed (power open)

FV20-642 POA

1" Solenoid Valve 240V, Auto reset, normally closed (power open)

FV20-643 POA

1/2" Motorised Valve 240V, Auto reset, normally closed (power open)

FV20-707 POA

3/4" Motorised Valve 240V, Auto reset, normally closed (power open)

FV20-717 POA

1" Motorised Valve 240V, Auto reset, normally closed (power open)

FV20-727 POA



Fire Valves

Capillary Fire Valves

- Free 10mm soft copper insert support, nuts & Olives with 3/8" valves.
- Liquid filled phial for positive temperature response.
- Available in two temperature ranges 72 & 95 Degrees.
- Available in 3/8" and 1/2" inlet and outlets.

72 Degree Capillary Firevalves 3/8" Inlet and Outlet

- 3/8" 10mm compression, 72 Degree // 1.5m
- 3/8" 10mm compression, 72 Degree // 3.0m
- 3/8" 10mm compression, 72 Degree // 6.0m
- 3/8" 10mm compression, 72 Degree // 10.0m
- 3/8" 10mm compression, 72 Degree // 12.0m
- 3/8" 10mm compression, 72 Degree // 15.0m
- 3/8" 10mm compression, 72 Degree // 20.0m
- 3/8" 10mm compression, 72 Degree // 25.0m
- 3/8" 10mm compression, 72 Degree // 35.0m



Part No	Trade
FVC-7201510	35.71
FVC-720310	37.14
FVC-720610	41.43
FVC-721010	54.29
FVC-721210	61.43
FVC-721510	67.14
FVC-722010	68.57
FVC-722510	104.28
FVC-723510	190.00

72 Degree Capillary Firevalves 1/2" Inlet and Outlet

- 1/2" BSP, 72 Degree // 1.5m
- 1/2" BSP, 72 Degree // 3.0m
- 1/2" BSP, 72 Degree // 6.0m
- 1/2" BSP, 72 Degree // 10.0m
- 1/2" BSP, 72 Degree // 12.0m
- 1/2" BSP, 72 Degree // 15.0m
- 1/2" BSP, 72 Degree // 20.0m
- 1/2" BSP, 72 Degree // 25.0m
- 1/2" BSP, 72 Degree // 35.0m

We stock all temps & lengths of valves, although some 1/2" valves and longer capillary length valves may incur a lead time.

FVC-7201512	78.86
FVC-720312	88.86
FVC-720612	96.00
FVC-721012	108.86
FVC-721212	124.57
FVC-721512	131.72
FVC-722012	151.71
FVC-7212512	171.71
FVC-723512	228.86

95 Degree Capillary Firevalves 3/8" Inlet and Outlet

- 3/8" 10mm Compression, 95 Degree // 2.0m
- 3/8" 10mm Compression, 95 Degree // 3.0m
- 3/8" 10mm Compression, 95 Degree // 6.0m
- 3/8" 10mm Compression, 95 Degree // 10.0m
- 3/8" 10mm Compression, 95 Degree // 12.0m
- 3/8" 10mm Compression, 95 Degree // 15.0m
- 3/8" 10mm Compression, 95 Degree // 20.0m
- 3/8" 10mm Compression, 95 Degree // 25.0m
- 3/8" 10mm Compression, 95 Degree // 35.0m



FVC-950210	35.71
FVC-950310	37.14
FVC-950610	41.43
FVC-951010	54.29
FVC-951210	61.43
FVC-951510	67.14
FVC-952010	68.57
FVC-952510	104.28
FVC-953510	190.00

95 Degree Capillary Firevalves 1/2" Inlet and Outlet

- 1/2" BSP, 95 Degree // 2.0m
- 1/2" BSP, 95 Degree // 3.0m
- 1/2" BSP, 95 Degree // 6.0m
- 1/2" BSP, 95 Degree // 10.0m
- 1/2" BSP, 95 Degree // 12.0m
- 1/2" BSP, 95 Degree // 15.0m
- 1/2" BSP, 95 Degree // 20.0m
- 1/2" BSP, 95 Degree // 25.0m
- 1/2" BSP, 95 Degree // 35.0m

We stock all temps & lengths of valves, although some 1/2" valves and longer capillary length valves may incur a lead time.

FVC-950212	78.86
FVC-950312	88.86
FVC-950612	96.00
FVC-951012	108.86
FVC-951212	124.57
FVC-951512	131.72
FVC-952012	151.71
FVC-952512	171.71
FVC-953512	228.86

Thermostatic Firevalve Support Bracket



FV30-033 3.88

Thermostatic Firevalve Phial Clip



FV30-032 0.43

Fire Valve Test Unit - Capillary firevalve tester

KBT1000 285.7

Oil Line Accessories



De-Aerators

Tigerloop De-Aerators

- Tigerloop Original TON110i - External Fitting
- Tigerloop Bio - Internal Fitting
- Tigerloop Combi TCN110i - External Fitting
- Tigerloop Bio Combi - Internal Fitting
- Tigerloop Plus TPN110i - External Fitting
- Tigerloop Twin - External Fitting
- Tigerloop Bio Twin - Internal Fitting
- Tigerloop Filter for Combi TCN110i 50-70 Micron filter
- Tigerloop Combi Filter Bowl replacement "O" Ring
- Tigerloop Filter for Plus TPN110i
- Tigerloop Fitting Kit, 2X Steel Braided lines & fittings
- Tigerloop BIO Fitting Kit, 2X Steel Braided lines & fittings
- Tigerloop Wall Bracket



Tigerloop - Fitting Kit

Part No	Trade
TL6000	56.17
TL7000	78.00
TL61101-C	83.48
TL7000-C	136.00
TL61101-P	100.57
TL61101-T	370.00
TL7000-T	467.30
TL61101-F	4.10
PTF1050	0.70
TL61101-PF	11.07
TL6050	29.26
TL6051	30.69
TL61101-B	3.60

Gok De-Aerators

- GOK GS Pro-Fi 3 // INTERNAL FITTING
- GOK Fitting Kit, 2X Steel Braided lines & fittings
- GOK Filter 50-70 Micron
- GOK Priming Pump for GS2000 & GS Pro-Fi 3



GS2000	138.00
GS2000-KIT	25.00
GS2000-FILT	4.10
GS2050	84.00

Flexible Oil Lines

- 1000mm x 1/4" BSPM to 1/4" BSPF 90 Deg Elbow
- 1000mm x 1/4" BSPM to 1/4" BSPF
- Inline Isolation Valve, 1/4" BSP Male to 10mm Comp Fitting
- Inline Isolation Valve, 1/4" BSP Female to 10mm Comp Fitting
- Inline Isolation Valve 10mm x 10mm compression fittings



TL6006	5.50
TL6005	5.50
SG2095	4.40
SG2095-F	5.76
SG2095-10-10	7.81

Oil Lifters 240v, Max lift 8m (26ft) using 10mm pipework

- OUF-88 (3 litre) (240Wx130Dx335H)
- OUF-88 (3 litre) (240Wx130Dx335H) C/W Drip Tray
- OUF-88-MAXI (12 litre) (350Wx225Dx345H)
- SK9E-FP8E OIL PUMP 230V
- OL-7L 40LPH SP32-02-80 230V Oil Lifter 7.3L Reservoir
- Drip Tray/ Leak Detector for OL-3L Oil Lifter
- Drip Tray/ Leak Detector for OL-12L Oil Lifter



OL-3L	614.89
OL-3L-CW-DT	705.37
OL-12L	904.76
OL-SK9E-FP8E	P.O.A.
OL-7L	P.O.A.
OL-3L-DT	90.48
OL-12L-DT	184.52

- Weather Proof Box for OL-3L (400x300x200)
- Weather Proof Box for OL-3L fitted with drip tray (600x400x230)
- Weather Proof Box for OL-12L (600x500x300)



OL-3L-WP-BOX	150.00
OL-3L-DT-WP-BOX	289.00
OL-12-WP-BOX	500.00

- GOTEC SK9E-FP8E OIL PUMP, 230V

OL-SK9E-FP8E	531.25
--------------	--------


Draught Stabilisers/Regulators

Tigerholm Draught Stabilizers

Tigex 25 Draught Stabilizer for mounting on bracket plate

		Part No	Trade
Tigex 25	C/W Square Plate	TL60300	72.52
Tigex 25 adapter for insulated T with OD 130mm		TL60362	37.30
Tigex 25 adapter for insulated T with OD 150mm		TL60363	37.30
Tigex 25 adapter for insulated T with OD 180mm		TL60364	37.30
Tigex 25 adapter for Embedding in Brick (140 X 140 mm)		TL60355	37.93

Tigex 25 Draught Stabilizer for round flue pipe

Tigex 25	C/W Adaptor for 150 6" round flue		TL60390/150	76.66
Tigex 25	C/W Adaptor for 130 5" round flue		TL60390/130	76.66
Tigex 25	C/W Adaptor for 100 4" round flue		TL60390/100	91.16
Tigex 25	C/W Adaptor for 120 4 3/4" round flue		TL60390/120	92.70

Tigex 50 Draught Stabilizer for round flue pipe

Tigex 50	Without Adaptor		TL61500	78.97
Tigex 50	C/W Adaptor for 130 5" round flue		TL61500/130	158.48
Tigex 50	C/W Adaptor for 150 6" round flue		TL61500/150	158.48
Tigex 50	C/W Adaptor for 180 7" round flue		TL61500/180	158.48
Tigex 50	C/W Adaptor for 200 8" round flue		TL61500/200	158.48

Tigex 50 Draught Stabilizer for insulated 90 degree T-pipe

Tigex 50	C/W Adaptor 180 7" for insulated T with OD 180mm	TL61550/180	159.77
Tigex 50	C/W Adaptor 200 8" for insulated T with OD 200mm	TL61550/200	165.32
Tigex 50	C/W Adaptor 250 10" for insulated T with OD 250mm	TL61550/250	165.32



For more information go to:

<http://www.tigerholm.com/EN/HVAC/Draught-stabiliser-Tigex50.htm>

Frost Sentry

Electronically controlled trace heater to prevent freezing of condensate drain pipes on condensing boilers.



THS-FS-01 155.00





Combisave

Combisave valve - water and gas saving valve.



COMBI-01 83.33

Thermocouples

		Part No	Trade
Super Universal thermocouple 900mm AN550P		ATH-130550	5.59
Super Universal thermocouple Alum Tip 900mm AN550AT		ATH-130570	8.69
Universal thermocouple 600mm T.Couple AN102P		ATH-130102	2.86
Universal thermocouple 450mm T.Couple AN103P		ATH-130103	2.86
Universal thermocouple 1800mm T.Couple AN2005		ATH-132005	9.23
Universal thermocouple 900mm Extension Piece AN180		ATH-130180	5.02
AN601 MAX53654		ATH-130601	4.50
Orkli T67-900/GFU thermocouples to fit most gas fires AN100GF 900MM		ATH-130140	3.45
AN102 600MM Q309A equivalent (BAXI02005)		ATH-130402	2.61



Refueling Section



Manual Shut-Off Dispensing Nozzles For Fuels

Self2000 1" BSPF Swivel, 1" OD Spout, NBR S.
Manual Nozzle 3/4"BSP Swivel Inlet 1" Spout
Holster for the above two nozzles



Part No. **Trade**

TN6000 13.30
TN6000-1 13.30
TN6000-B 26.65

Self3000 1" BSPF Swivel, 1" OD Spout, Viton S.
Self3000 1" BSPF Swivel, 3/4" OD Spout, Viton S.
EBW 410 1.5" BSPF Swivel Inlet, 1.5" OD Spout, Viton S.
Manual Nozzle 1"BSP F Swivel Inlet, 3/4" Spout Unleaded
Manual Nozzle 3/4" Unleaded



P8-F0065000A 32.26
P8-00065001A 32.26
M3709 245.00
TN6075 25.00
GP110155-1 21.50

Manual Shut Off Dispensing Nozzles for Other Liquids

Piisi White Plastic Nozzle, 19mm Hose Tail (Food & Water) 3/4"
Piisi White Plastic Nozzle, 25.4mm Hose Tail (Food & Water) 1"
Piisu Adblue Manual Nozzle, SS316 Spout, 19mm Hose Tail

P8-F0063001A 25.00
P8-F0064001A 25.00
P8-F14761000 62.00

Automatic Shut-Off Dispensing Nozzles

GPI 3/4" NPTF 3/4" OD Spout

1" BSPF 1" OD Spout

3/4" BSPF 16mm OD Spout for Adblue // Stainless

Husky 1+10, 0.75" BSPF, 24.5mm OD Spout, 60lpm

Husky 1GS, 1" BSPF, 28.5mm OD Spout, 94lpm max

Husky 1" BSPF, 35mm OD Spout, 275lpm

Husky 1.5" BSPF, 35mm OD Spout, 405lpm

Piisi A60, 1"BSP, 28.5mm Spout, 75 lpm
Piisi A60 Rapsoil Nozzle, 28.5mm Spout (Yellow Boot)



GP110121-8 60.50
M3700-SS 35.50
M3700-ABSS 142.86
M3701 90.50
M3700 100.60
M3711 167.55
M3715 490.50
P8-F00603060 55.00
P8-F00602030 93.00

ZVA 4.1 Slimline 1" BSPF Swivel,24.5mm Spout, 55lpm Easysqueeze
ZVA 4.1 Slimline 1" BSPF Swivel, 24.5mm OD Spout, 80 lpm
ZVA 25 High Flow 1" BSPF Swivel, 140 lpm
ZVA 32 Super High Flow 1.5" BSPF Swivel, 200 lpm
ZVA.STD42 1" BSPF Swivel 65LPM
ZVA PUSH IN SPOUT, FOR SLIMLINE 2 DIESEL, ER042.1



M3702-4.1 206.65
M3702-4.1H 206.65
M3702-25.4.1 353.35
M3702-32 635.95
POA
ZVA-ER042.1 POA

Nozzle Holster, for M3700,M3711,M3700-SS,GP110121-8,TN6000

P-23-174 26.65

Breakaway Couplings

Non Disposable, 3/4"BSP F-F
Non Reuseable, 1"BSP F-F
Non Reuseable, 3/4"BSP F-F
Non Reuseable, 1"BSP F-M, Stainless Steel 316
Non Reuseable, 1" Breakaway Connector TDW-BC 1"
Non Reuseable, 3/4" Breakaway Connector TDW-BC 3/4"
250H BREAKAWAY PIGTAIL HOSE 3/42M
3/4inBSP F/F DRYBREAK POLYPROPYLENE COUPLING C/W VITON SEALS
BREAKAWAY SS REUSABLE SWIVEL FOR ADBLUE (DEF), 3/4"M-3/4"F



GFH3774 30.50
GFH3800 53.83
GFH3800-12 17.20
M3700-ABSS-BR1BSP 51.00
GFH3900 25.00
GFH3890 20.00
GFH3774-H 8.00
GFH3850-75 71.50
M3700-ABSS-BR3/4BSP 51.00

Swivels & Hose Tails

	Part Number	Trade
1.5" BSPM x 1 1/2" BSP Female Swivel Joint	M3750	73.78
Swivel Tail 1" BSPM for 25mm Hose Barb	GFH2400	7.60
Swivel Tail (Stainless Steel 316) 3/4" BSPM-19mm Hose Barb	M3700-ABSS-SW07TAIL	18.00
Swivel Joint 3/4" BSPM x 3/4" BSPF	GFH3475-34-34	9.30
Swivel Joint 3/4" BSPM x 1" BSPF	GFH3475-34	7.95
Swivel Joint 1" BSPM x 1" BSPF	GFH3475	7.95
Swivel Joint (Stainless Steel 316) 1" BSPM x 1" BSPM	SW1BSP	19.00
Fixed Tail 1" BSPM to suit 25mm ID Hose	GFH3440	3.70
Fixed Tail 1" BSPT for 1" ID Hose, Aluminium	GFH3445	3.70
Fixed Tail 1" BSPM to suit 19mm ID Hose	GFH3380	3.70
Fixed Tail 1" BSPTM to suit 19mm ID hose	GFH3380-T	3.70
Fixed Tail 0.75" BSPM to suit 25mm ID Hose	GFH3390	3.70
Fixed Tail 0.75" BSPM to suit 19mm ID Hose	GFH3400	3.70
Fixed Tail 0.75" BSPM to suit 19mm ID Hose - Stainless Steel	GFH3400-SS	4.95
3/8" Hosetail Brass MH-6/6	GFH3238	4.40
2" BSPT * 2" Hosetail BZP & Colour Pass MH-32/32	GFH3407	15.70
1" BSPT * 1" Hosetail Brass	GFH3445B	4.70
1" BSP M/F Swivel Elbow MD-45A 90 Degree	GFH3475-90	13.70
3/4" BSPM - 1" BSP 90 Degree Swivel	GFH3476-90	13.70
1" M & 1" F BSP Elbow (G2-1-BK) BS1256 BMFL-16	GFH3525	1.40
1" BSP M * 1" BSP F Equal Elbow 90Deg MFL-16 10547	GFH3525-B	7.50
1" BSP M * 1" BSP F Equal Elbow 90 Deg S/Steel SE16	GFH3525-SS	4.80
1" BSP F to 25mm Hosetail Brass	MF1616-FHT-B	10.70
2" BSP M Fixed Hose Tail for 2" Hose	GFH3407	14.95

**Timers, Switches & Connectors**

Tri Pole Rocker Switch	PP25	11.70
Touch Timer Switch, IP66, 220-230v, Adjustable from 1 second to 2 hrs	PP01	65.00
Rocker Switch, IP55, Single Pole (Legrand)	PP08	11.50
Waterproof Cable (Flex) Connector, IP	PP09	12.00

**Pressure Gauges**

Vacuum Gauge, Bottom Conn 1/4" BSP, 0-1Bar	GV01125531	13.00
Vacuum Gauge, Bottom Conn 1/8" BSP, Upto -1000 mil/bar	GV01415511	13.00
Pressure Gauge, Glycerine Filled, 1/8" BSP, 0-100 PSI, Bottom Entry	GV391703006	16.00
Pressure Gauge, Glycerine Filled, 1/4" BSP, 0-30 PSI, Bottom Entry	GV391704006	16.00



Diesel Dispensing Kits C/W 3M Hose as Standard

Part Number **Trade**

Economy hose kit Gate Valve 3m hose and nozzle

GFH 3600 48.43

ATN100L With locking bracket on Gate Valve



3mtr	GFH3603	55.63
4mtr	GFH3603-4	59.86
5mtr	GFH3603-5	64.17
6mtr	GFH3603-6	68.50
7mtr	GFH3603-7	72.80
8mtr	GFH3603-8	77.12
9mtr	GFH3603-9	82.50
10mtr	GFH3603-10	85.76

DD10AL With locking bracket on Gate Valve



3mtr	GFH3655	56.63
4mtr	GFH3655-4	60.86
5mtr	GFH3655-5	65.17
6mtr	GFH3655-6	69.50
7mtr	GFH3655-7	72.80
8mtr	GFH3655-8	77.12
9mtr	GFH3655-9	82.50
10mtr	GFH3655-10	85.76

ATD10S With locking bracket on Gate Valve



3mtr	GFH3650	53.50
4mtr	GFH3650-4	57.81
5mtr	GFH3650-5	62.14
6mtr	GFH3650-6	66.45
7mtr	GFH3650-7	70.78
8mtr	GFH3650-8	75.11
9mtr	GFH3650-9	79.44
10mtr	GFH3650-10	83.77

Per Metre, Hose Only (for the above hose kits).

GFH3565 5.40

IBC Gravity

4m of hose with IBC to hose
Cam coupling and Manual Nozzle



GFH4000-IDC-AB 60.00

Fuel Hose**Part No****Trade****Hose, Cloth Reinforced Nitrile, C/W Crimped Aluminium BSP Male Tails**

1.6m x 3/4" (19mm Dia)	P7501.6	23.00
2.0m x 3/4" (19mm Dia)	P7502	24.50
3.0m x 3/4" (19mm Dia)	P7503	28.00
4.0m x 3/4" (19mm Dia)	P7504	30.00
6.0m x 3/4" (19mm Dia)	P7506	36.00
8.0m x 3/4" (19mm Dia)	P7508	43.00
10.0m x 3/4" (19mm Dia)	P7510	48.00
Per Metre, Hose Only	GFH3550	5.00



1.6m x 1" (25mm Dia)	P4001.6	25.50
2.0m x 1" (25mm Dia)	P4002	26.50
3.0m x 1" (25mm Dia)	P4003	30.60
4.0m x 1" (25mm Dia)	P4004	34.90
6.0m x 1" (25mm Dia)	P4006	42.90
8.0m x 1" (25mm Dia)	P4008	52.50
10.0m x 1" (25mm Dia)	P4010	60.70
Per Metre, Hose Only	GFH3565	5.40

**Hose, Steel Reinforced NBR/PU/PVC, C/W Crimped Aluminium BSP Male Tails**

1.6m x 3/4" (19mm Dia)	P7501.6-V	31.50
2.0m x 3/4" (19mm Dia)	P7502-V	35.00
3.0m x 3/4" (19mm Dia)	P7503-V	43.00
4.0m x 3/4" (19mm Dia)	P7504-V	50.00
6.0m x 3/4" (19mm Dia)	P7506-V	64.00
8.0m x 3/4" (19mm Dia)	P7508-V	78.00
10.0m x 3/4" (19mm Dia)	P7510-V	92.00
Per Metre, Hose Only	GFH3550-V	7.00



1.6m x 1" (25mm Dia)	P4001.6-V	33.80
2.0m x 1" (25mm Dia)	P4002-V	37.00
3.0m x 1" (25mm Dia)	P4003-V	46.60
4.0m x 1" (25mm Dia)	P4004-V	56.50
6.0m x 1" (25mm Dia)	P4006-V	76.50
8.0m x 1" (25mm Dia)	P4008-V	100.07
10.0m x 1" (25mm Dia)	P40010-V	123.38
Per Metre, Hose Only	GFH3565-V	11.09

**Hose suitable for ADBLUE**

Adblue 3/4" Hose (Per Meter Price) Deliver Hose	GFH3550-POL	3.50
Adblue 3/4" Hose (Per Meter Price) Suction Hose	GFH3550-AB	17.21

Flow Meters

GPI Mechanical Nutating Disc Flowmeters

GPI FM530-L8B, 1" BSP 19-114 lpm +/-2% Acc
GPI FM100 15 Mic. Filter Element



GP126000-24 156.70
GP111010-1 8.80

GPI MR5-30-L8B 1" BSP 19-114 lpm +/- 2%
GPI MR5-30-L12B 1.5" BSP 19-114 lpm +/- 2%



GP126300-08 197.88
GP126300-09 216.67

FMT SwissAG Electronic Oval Gear Meters (Inc Flowrate)

5-60lpm 1"BSP
10-100 lpm 1"BSP



P-19-728-395 565.75
P-19-728-396 772.74

Digital FMT SwissAG Electronic Nutating Disc Meter (Inc Flowrate)

10-55 lpm 1"BSP, Inline, Digital display



P-23-287 170.30

FMT SwissAG Mechanical Oval Gear Meter

2-100lpm 1" BSP Oval Gear Meter 2-100lpm



P-23-192 106.50

PIUSI Electronic Turbine Flowmeters With Local Digital Display

Puisi K24, 1" F-M, Nylon, 10-120 lpm +/-1%
Puisi K24, 1" F-M, Nylon, 10-120lpm Pulse Meter



P8-F00407030 169.04
P8-F0040721B 135.80

CLEARANCE Flow Meters - NET PRICES TO CLEAR (No Further Discounts)

Puisi K600/3 Oil Flow meter 6-60lpm



P8-F00496A20 176.08

Flow Meters**GPI Digital Turbine Meters****GPI, 01 Series, Digital Turbine Flowmeters (2xAAA Battery powered)**

01N52LM 1" Nylon, 10-100 lpm BSP +/-5.0% Acc		GP113255-6	170.00
01A52LM 1" Aluminium, 10-100 lpm BSP +/-5.0% Acc		GP113255-12	170.00
01 / 03 Series O Ring		GP901002-52	8.60
Protective Lexan Cover for 01 Series meters		GP906004-85	13.00


GPI, TM Series, PVC Digital Turbine Water Meters

TM050 - 0.5" NPT, 3.8-38lpm +/-3.0% Acc		GP-TM050N	P.O.A
TM075 - 0.75" NPT, 7.6-76lpm +/-3.0% Acc		GP-TM075N	P.O.A
TM100 - 1" NPT, 19-190lpm +/-3.0% Acc		GP-TM100N	P.O.A
TM150 - 1.5" NPT, 38-380lpm +/-3.0% Acc		GP-TM150N	P.O.A
TM200 - 2" NPT, 76-760lpm +/-3.0% Acc		GP-TM200N	P.O.A

GPI, FM Series, Digital High-Viscosity Meters, Polypropylene

FM300HL/R - 1" NPT M-F, 7-75 lpm +/-2.0% Acc	GP120000-2	312.00
--	------------	--------

GPI A1 Series, Commercial Grade Turbine Flowmeters**GPI Commercial meters, Aluminium - For Fuels. W/C A, C, TC, N, SS**

A109LMA025IA1 - 1" BSP (0.25" Bore), +/-5.0% accuracy 1-10 lpm		GP6353	400.00
A109LMA100IA1 - 1" BSP, +/-1.5% accuracy 10-190 lpm		GP6340	458.80
A109LMA200IA2 - 2" BSP, +/-1.5% accuracy 100-1000 lpm		GP6400	850.00

GPI Commercial meters, Nylon - For Water. W/C N, C, TC, SS

A109LMN025IA1 - 1" BSP (0.25" Bore), +/-5.0% accuracy 1-10 lpm	GP6355	409.00
A109LMN100IA1 - 1", +/-1.5% accuracy 10-190lpm	GP6360	409.00
A204LMS050IA1 S/STL 0.5in 2 TOTAL, 2 CAL, FLOWRATE	GP6320	500.36
A204LMP050IA1 1/2inPVDF EDM FLOWMETER	GP6445	566.50

GPI G2 Series, Industrial Grade Turbine Flowmeters**GPI Industrial meters, Brass 300psi, 21bar. W/C = BR, C, TC, PVDF, SS**

G2B05I09LMA - 0.5", +/-1.5% accuracy 3.8-37.9 lpm		P.O.A
G2B07I09LMA - 0.75", +/-1.0% accuracy 7.6-75.7 lpm		P.O.A
G2B10I09LMA - 1", +/-1.0% accuracy 18.9-190 lpm		P.O.A
G2B15I09LMB - 1.5", +/-0.75% accuracy 38-380 lpm		P.O.A
G2B20I09LMB - 2", +/-0.75% accuracy 76-760lpm		P.O.A

SS - Stainless Steel 316

TC = Tungsten Carbide

PVC = Polyvinyl Chloride

PVDF = Polyvinylidene Flouride

N = Nylon


V = Viton

C = Ceramic


A = Aluminium

Industrial Grade Meters cotinued overleaf...

Flow Meters**Stock No****Trade****GPI Industrial meters, Stainless Steel, 1500psi / 102bar. W/C = SS, C, TC, PVDF**

G2S05I09LMA - 0.5", +/-1.5% accuracy 3.8-37.9 lpm		701.76
G2S07I09LMA - 0.75", +/-1.0% accuracy 7.6-75.7 lpm		710.00
G2S10I09LMA - 1", +/-1.0% accuracy 18.9-190 lpm		729.57
G2S15I09LMB - 1.5", +/-0.75% accuracy 38-380 lpm		924.00
G2S20I09LMB - 2", +/-0.75% accuracy 76-760 lpm		1204.77


GPI Industrial meters, Stainless Steel, High Pressure 3000psi, 207bar. W/C = As abv

G2H05I09LMA - 0.5", +/-1.5% accuracy 3.8-37.9 lpm		619.04
G2H07I09LMA - 0.75", +/-1.0% accuracy 7.6-75.7 lpm		650.00
G2H10I09LMA - 1", +/-1.0% accuracy 18.9-190 lpm		660.00
G2H15I09LMA - 1.5", +/-0.75% accuracy 38-380 lpm		1013.40
G2H20I09LMA - 2", +/-0.75% accuracy 76-760 lpm		1336.90


GPI Industrial meters, Aluminium 300psi, 21bar. W/C SS, C, TC, PVDF, A

G2A05I09LMA - 0.5", +/-1.5% accuracy 3.8-37.9 lpm		526.00
G2A07I09LMA - 0.75", +/-1.0% accuracy 7.6-75.7 lpm		535.00
G2A10I09LMA - 1", +/-1.0% accuracy 18.9-190 lpm		545.00
G2A15I09LMB - 1.5", +/-0.75% accuracy 38-380 lpm		714.00
G2A20I09LMB - 2", +/-0.75% accuracy 76-760 lpm		883.06

GPI Industrial meters, PVDF, 150psi 10.2bar. W/C C, PVDF, V

G2P05I09LMA - 0.5", +/-1.5% accuracy 4.54-45.42 lpm		642.86
G2P10I09LMA - 1", +/-1.0% accuracy 18.9 - 190 lpm		490.50

Oval Gear Meters For All Purpose Use Incl Aviation Fuel

Oval gear meter 1"BSP, 20/120lpm +/-0.5% Mech Register F-OGM-A-25		190.00
Oval gear meter 1.5"BSP, 25/250lpm, +/-0.5% Mech Register F-OGM-A-40		309.52
Oval gear meter 2"BSP, 30/300lpm, +/-0.5% Mech Register F-OGM-A-50		361.00

GPI Meter Accessories

4-20ma Module (For G2)	GP125100-1	333.50
Conditioned Signal Output Module (For A1 & G2)	GP113435-1	255.00
External Power Module (7-10V DC) (For G2)	GP125070-1	87.50
FM Approved Remote Kit for All Meters (For A1 & G2)	GP113275-1	232.30
FM Approved Sensor Kit (For G2)	GP120077-01	333.50
Pulse Access Module (For G2)	GP125060-1	90.50
Standard Remote Kit (For A1 & G2, Excluding A1/200)	GP113265-1	255.00
Output Cable Kit, 30m for Conditioned signal output module, 3 Core	GP125066-500	106.90
Remote Cable Kit, 30m for Standard and FM Remote Kits, 2 Core	GP113272-500	58.00
Twin Lithium Battery Replacement kit (For A1 & G2)	GP113520-1	36.30
Screw for Metal bodied meters	GP904004-12	1.10
Screw for Plastic bodied meters	GP904003-88	1.10
GPI Protective Lexan Covers for EDM computers	GP906004-86	13.60
G2X10X09LMA 1" EDM computer only IND grade for 1" Turbine	GP-G2X10X09LMA	229.68
G2X15X09L(G)MA Computer only for 1/5im EDM	GP-G2X15X09LMA	230.85
A204LMX150XB3 1.5in EDM Computer	GP6327	235.48
A109GMX100XB3 EDM Computer only	GP6351	235.48
A109GMX025XB3 EDM 1/4in Computer only	GP6352	235.48

Hand Pumps for Diesel and Lubrication Oil

Steel Lever Drum Pump (Formerly 13012)
Piusi Piston Hand Pump 35lpm
Cast Iron Rotary Pump (Formerly MS-25)
LP-32 Drum Fitting Gear Pump



Part No.	Trade
P3930	20.36
P8-F0035100A	45.00
P3950	22.00
P-LP32	135.00

GPI Rotary Hand Pumps

RP-10-UL Pump Kit
RP10 Overhaul Kit



GP123000-06	229.93
GP123503-1	77.65

GPI Piston Hand Pumps

GPI HP-90-PO Economy Pump Only



GP131000-2	140.90
------------	--------

Dual Action GPI Piston Pumps

GPI HP-100-PO Dual Flow Pump Only
GPI HP-100-NUL Dual Flow Pump Kit
GPI HP-100-UL Dual Flow Pump Kit
GPI HP-100 Overhaul Kit
GPI HP-100 Anti Siphon Vent Kit



GP114000-7	179.50
GP114000-5	210.00
GP114000-10	220.00
GP114505-2	59.00
GP123504-1	25.63

Hand Pumps, For Chemicals

LP-50 Polypropylene Level pump with Viton Seals
Piusi Rotary Hand Pump for Adblue, Drum Adaptor
Piusi Rotary Hand Pump for Adblue, CW Hoses and Drum Adaptor



P8-MB-3007	47.62
P8-F00332050	80.00
P8-F00332060	117.20

Groz Engineering Manual Pumps

Piston Drum Pump, PP, Mild Steel, Viton
Piston Drum Pump, Nylon, SS, PTFE
Rotary Drum Pump, PRP, Ryton, Viton
Rotary Drum Pump, PRP/01, For Adblue
Lever Drum Pump (D10 Diesel)
Rotary Hand Pump
Rotary Hand Pump 30lpm
Adaptor 2" BSP female to 2" buttress male thread (Plastic Drums)



P3940	21.00
P3942	31.50
P3945	53.65
P3947	83.81
P3930-B	26.80
AB-RHP-1000	40.00
P3990	59.53
AB-CM2100-A	4.76

Drill Pumps

Drill Pump, 3/4" Hosetails, 50lpm, NBR Impellor
Drill Pump, 1/2" Hosetails, 25lpm, NBR Impellor



P-Drill-3/4	10.00
P-Drill-1/2	8.50

Grease Gun

Grease Gun 500cc Gun (400cc Cartridge)
c/w Flexible and rigid dispensing nozzle



M5030	11.90
-------	-------

Electric Transfer Pumps

Part No.

Trade

FMT is a Swiss manufacturer of excellent quality pumps and accessories for the transfer of all kinds of products

All FMT Products carry a 3 YEAR MANUFACTURERS WARRANTY!

Vane Pumps (Pump Only)

110v - 100lpm, 1.8 Bar, 1" For Diesel

110v - 60 lpm, 1.8 Bar, 1" For Diesel

230v - 60 lpm, 1.8 Bar, 1" For Bio Diesel

230v - 60 lpm, 1.8 Bar, 1" (Swivel Head)

230v - 100 lpm, 2.5 Bar, 1" For Diesel

230v - 100 lpm, 2.5 Bar, 1" For Bio Diesel

12v - 35 lpm, 1.6 Bar, 1" For Diesel (CW Cable & Clips)

12v - 35 lpm, 1.6 Bar, 1" For Bio Diesel (CW Cable & Clips)

12v - 60 lpm, 1.8 Bar, 1" For Diesel (CW Cable & Clips)

12v - 60 lpm, 1.8 Bar, 1" For Bio Diesel (CW Cable & Clips)

24v - 35 lpm, 1.6 Bar, 1" For Diesel (CW Cable & Clips)

24v - 35 lpm, 1.6 Bar, 1" For Bio Diesel (CW Cable & Clips)

24v - 60 lpm, 1.8 Bar, 1" For Diesel (CW Cable & Clips)

24v - 60 lpm, 1.8 Bar, 1" For Bio Diesel (CW Cable & Clips)



P-23-055

285.00

P-23-054

170.00

P-23-034-860

161.00

P-23-100

153.57

P-23-102

258.50

P-23-036-860

281.52



P-23-012

132.00

P-23-12-860

171.00



P-23-008

342.00

P-23-008-860

342.00



P-23-012-824

144.67

P-23-012-824-860

145.50

P-23-008-824

341.97

P-23-008-824-860

341.97

Atkinson Fuelbox - Dispensing Units

Featuring FMT Pumps with 3 yr Warranty



230v - Fuel Dispensing Box 60lpm c/w 4mtrs Hose + Auto Nozzle

FB-230

476.19

110v - Fuel Dispensing Box 60lpm c/w 4mtrs Hose + Auto Nozzle

FB-110

491.00

24v - Fuel Dispensing Box 35lpm c/w 4mtrs Hose + Auto Nozzle

FB-24

462.66

12v - Fuel Dispensing Box 35lpm c/w 4mtrs Hose + Auto Nozzle

FB-12

444.26

Fuel Box Pedestal

FB-PED

210.00

Quick Coupling - Tube & Screws

FB-13-KIT

14.30

Quick Coupling Adaptor

FB-11

10.00

Drum Pumps (For Diesel) C/W Cable & Clips

230v - 52 lpm, 1.8 Bar, 4m Hose, Manual Nozzle

P-23-731-932

205.00

230v - 52 lpm, 1.8 Bar, 4m Hose, Automatic Nozzle

P-23-737-932

292.00

12v - 38 lpm, 0.5 Bar, 4m Hose, Manual Nozzle

P-23-711

163.50

24v - 43 lpm, 0.5 Bar, 4m Hose, Manual Nozzle

P-23-721

163.50



	Part No.	Trade
<u>GPI AC & DC Gear Pumps All C/W 12ft Hose, 2" Drum Fitting & Suction Tube</u>		
M-150S-ML 12V 57lpm C/W 3/4" Hose M/Noz	GP110000-104	456.76
M-150S-AU As M-150-ML + A/Noz	GP110000-105	466.50
M-150S-AU PUMP c/w MD130 & FITTING KIT	GP110610-4	394.50
M150-E Pump Only No switch, No holster	GP110240-02	210.00
M-180S-ML 12V 68lpm C/W 1" hose & M/Noz	GP110300-3	507.75
M-180S-AU As M-180S-ML + A/Noz	GP110300-4	565.38
M-240S-ML 24V 57lpm C/W 3/4" hose & M/Noz	GP110000-91	584.83
M-240S-AU As M-240S-ML + A/Noz	GP110000-96	632.17
M-1115S-ML 115V 45lpm 3/4" hose & M/Noz	GP110000-81	468.89
M-1115S-AU As M-1115S-ML + A/Noz	GP110000-82	555.38
<u>GPI Heavy Duty DC Vane Pumps</u>		
M-3025-PO 12V 95lpm Pump Only, 1" NPT Fittings	GP133240-3	636.00
M-3025-ML M-3025-PO + 1" 12' hose & M/Noz	GP133240-1	658.00
M-3025-AL M-3025-PO + 1" 12' hose & A/Noz	GP133240-2	670.00
M-3425-PO 24V 95lpm Pump Only, 1" NPT Fittings	GP133260-03	693.86
M-3425-ML M-3425-PO + 1" 12' hose & M/Noz	GP133260-01	715.50
M-3425-AL M-3425-PO + 1" 12' hose & A/Noz	GP133260-02	735.00
<u>GPI Heavy Duty 'Contractor Special' DC Vane Pumps, C/W Cable & Croc Clips</u>		
M-3025CS-PO 12V 95lpm, 1" NPT Fittings	GP133262-03	693.86
M-3425CS-PO 24V 95lpm C/W 25' cable & h/duty clamps	GP133262-04	693.86
M-3260-PO 240V 60lpm Pump Only, 1" NPT Fittings	GP133210-03	607.00
M-3260-ML As M-3260-PO + 3/4" 12' hose & M/Noz	GP133210-01	647.00
M-3260-AL As M-3260-ML + A/Noz	GP133210-02	698.00
<u>GPI Herbicide Pump kits, Self Priming, C/W 4m EPDM Hose & Ball Valve Nozzle</u>		
Pump Only, 12v, 45lpm P-120H	GP118000-1	422.97
<u>Suction pipes, Rigid Plastic</u>		
GPI Suction Pipe 1" Telescopic, 22"-40"	GP110100-1	27.80
<u>Complete Transfer Pump Kits</u>		
Mobile Transfer Kit - Includes 12v FMT Vane Pump (35lpm) 4.6mtrs 3/4" Nitrile/PVC Hose, 4x Hose tails, Jubilee Clips Check valve and strainer, Manual Nozzle with swivel.	P-23-012-KIT	185.90
As Above with 12v - 60lpm pump	P-23-008-KIT	390.50
As Above with 230v 60lpm pump	P-23-034-KIT	215.00
As Above with 230v 100lpm pump	P-23-036-KIT	308.55
<u>Tank Installers Transfer Kit (ideal for emptying from one tank to another)</u>		
Transfer Kit includes - 230v FMT vane pump (60lpm) Fitted with Cam Couplings, 1x5mtr 1" Hose fitted with Cam couplings, 1x15mtr 1" hose with Cam couplings Fitted with a 1" brass Y Strainer, and all dust caps and plugs supplied for hoses.	TIK-1000	281.25
As above with 12v - 35lpm Pump	TIK-1235	264.17
As above with 12v - 60lpm Pump	TIK-1260	474.17
As above with 230v - 100lpm pump	TIK-1100	390.67

Fuel Dispensing Units

Part No.

Trade



Atkinson Fuelbox

- Fuel Dispensing Box 230v 60lpm c/w 4mtrs Hose + Auto Nozzle
- Fuel Dispensing Box 110v 60lpm c/w 4mtrs Hose + Auto Nozzle
- Fuel Dispensing Box 24v 35lpm c/w 4mtrs Hose + Auto Nozzle
- Fuel Dispensing Box 12v 35lpm c/w 4mtrs Hose + Auto Nozzle
- Fuel Box Pedestal

FB-230	476.19
FB-110	491.00
FB-24	462.66
FB-12	444.26
FB-PED	210.00

FMT DMS - Diesel Management Systems

Complete computerised diesel management system.
For total digital control of your fuel usage to your fleet of vehicles.

- DMS Panel pump, 60 lpm with filter, 6m delivery hose, auto gun
- As above with 100lpm pump.

P-23-426	2743.00
P-23-427	3238.10

Comes with free software !!



- DMS Diesel dispensing box, 60lpm pump, filter, 6m hose, auto gun.
- As Above with 100lpm pump.

P-23-421	2158.05
P-23-423	3398.26

Comes with free software !!



- DMS I-Button For User - Black (Set of 10)

P-23-069	113.70
----------	--------

Adblue Equipment (All 100% Compatible with Adblue)

	Part No.	Trade
Diaphragm Pump for Adblue 230v 30 lpm	AB23030	135.00
Diaphragm Pump for Adblue 12v 30 lpm	AB01230	136.00
Diaphragm Pump for Adblue 24v 30 lpm	AB02430	136.00

Adblue Pump Kits

Adblue Kit with 1.6m suction & 4m Delivery with manual nozzle	AB230-30-KMN	280.50
As above with a flow meter	AB230-30-FMMN	450.50
Adblue Kit with 1.6m suction & 4m Delivery with Auto nozzle	AB230-30-KAN	375.50
As above with a flow meter	AB230-30-FMAN	550.50

12 volt Adblue Pump Kits as above also available at the same prices

IBC Adblue Pump Kits

Adblue Kit with 1.6m suction & 4m Delivery with manual nozzle	IBC-1000	298.50
As above with a flow meter	IBC-1000-F	496.56
Adblue Kit with 1.6m suction & 4m Delivery with Automatic nozzle	IBC-2000	426.98
As above with a flow meter	IBC-2000-F	626.75



IBC Gravity

4m of hose with IBC to hose Cam coupling and Manual Nozzle	GFH4000-IDC-AB	60.00
--	----------------	-------



Adblue Accessories

Manual Nozzle, White, 19mm Hose Barb Inlet	TN6000-AB	30.00
--	-----------	-------



Auto Dispensing Nozzle, 316SS, 3/4" BSPF	M3700-ABSS	120.00
--	------------	--------



Automatic Dispensing Nozzle Actuation Magnet	M3700-ABSS-MAGNET	12.50
--	-------------------	-------

01N52LM 1" Nylon, 10-100lpm BSP	GP113255-6	180.00
---------------------------------	------------	--------



Puisi K24 Meter for Adblue, 1" BSPMF	P8-F00407080	180.50
--------------------------------------	--------------	--------

Puisi K24, 1" F-M, Nylon, 10-120lpm Pulse Meter	P8-F0040721B	135.80
---	--------------	--------

FMT 1" F/F Inline Digital Meter	P-12-287-870	170.30
---------------------------------	--------------	--------

ADBLUE Meter for Adblue, 1" BSPMF	AB-AFM30	140.00
-----------------------------------	----------	--------



Adblue 3/4" Hose (Per Meter Price) Deliver Hose	GFH3550-POL	3.50
---	-------------	------

Adblue 3/4" Hose (Per Meter Price) Suction Hose	GFH3550-AB	17.21
---	------------	-------



3/4" Non Return valve, Stainless Steel	GV3934-SS	38.00
--	-----------	-------

3/4" Non Return Valve strainer only	GV3934-FO	2.75
-------------------------------------	-----------	------

Breakaway swivel, stainless, 1"F - 3/4"M BSP	M3700-ABSS-BR1BSP	59.60
--	-------------------	-------

Breakaway swivel, stainless, 3/4"F - 3/4"M BSP	M3700-ABSS-BR3/4BSP	59.60
--	---------------------	-------

Swivel Joint, 1"M - 3/4"M BSP	M3700-ABSS-SW1BSP	18.00
-------------------------------	-------------------	-------

Swivel Hose Tail, 3/4"M - 19mm Hose Barb	M3700-ABSS-SW07TAIL	18.00
--	---------------------	-------

Plastic Hosetail 3/4" to 1" BSPPF	AB230-PP-TAIL	1.80
-----------------------------------	---------------	------

90 Degree Hosetail 3/4" to 1" BSPPF	AB230-PP-90	1.80
-------------------------------------	-------------	------

1" M - M Adaptor	AB230-PP-MM	1.80
------------------	-------------	------

Puisi Rotary Hand Pump, CW Hoses and Drum Adaptor	P8-F00332060	119.00
---	--------------	--------

Puisi Adblue Rotary Hand Pump	P8-F00332050	72.65
-------------------------------	--------------	-------

Adblue Rotary Hand Pump	AB-RHP-1000	40.00
-------------------------	-------------	-------

Rotary Drum Pump, PP, Rytton, Viton	P3945	54.00
-------------------------------------	-------	-------

Adaptor 2" BSP female to 2" buttress male thread (Plastic Drums)	AB-CM2100-A	4.76
--	-------------	------

<u>Atkinson Drybreak Coupling 2" Stainless Steel</u>	DBC-1000-AB	150.00
---	-------------	--------

2" Stainless Steel Male Nipple	MF3232-MM-S	12.10
--------------------------------	-------------	-------

2" Stainless Steel Male - Female 90 degree	MF3232-MF-90-S	19.80
--	----------------	-------

2" Stainless Steel Female - Female 90 degree	MF3232-FF-90-S	16.10
--	----------------	-------

2" Stainless Steel Female - Female 45 degree	MF3232-FF-45-S	21.00
--	----------------	-------



Engine Pumps, Oil Pumps, Submersible Pumps & Clearance Pumps

Part No

Trade

Engine Driven Pumps

125 lpm, 1" Version, Supplied mounted on a frame with carrying handle
 Runs on unleaded petrol, 1.6l tank
 125lpm maximum flowrate, non-adjustable.
 1" BSP Inlet / Outlet
 Dry Weight 17kgs
 Total Head 20 Metres, Suction Lift 9 Metres
 4 Stroke OHV Air Cooled Engine with Recoil Start



Diesel	P1150	375.00
Water	P1150-W	304.20

Honda Engine Water Pump 145lpm	P1150-H	576.10
--------------------------------	---------	--------

Oil Pumps

Oil Pumps

Viscomat 70, 230v, 25lpm, 3/4" BSP Oil pump



P8-000334900	319.74
--------------	--------

Viscomat 200/2 M, 230v, 9lpm, 12 Bar, 1" BSP, Oil Pump
 Viscomat 230/3 M, 230v, 14lpm, 12 Bar, 1" BSP, Oil Pump
 Viscomat 350/2M



P8-F0030403A	520.00
P8-F0030430A	499.00
P8-F0030401A	375.00

CLEARANCE PUMPS - NET PRICES TO CLEAR (No Further Discounts)

Limited Stocks

Piisi Cube 56, 56lpm, flowmeter, hose, nozzle 110v	P8-F00575340	364.50
Piisi Cube 56/33 12V C/W Flowmeter, hose, nozzle	P8-F0057600C	266.00
Piisi Cube Red Pedestal	P8-F1093640A	88.00
Piisi Cube MC Key Software + USB (Green)	P8-F14144000	262.14
Piisi Cube MC Management Key	P8-R12496000	36.00
Piisi Cube MC 10 pack of User Keys (Green)	P8-R1249500A	68.00
Piisi E80 Rotary vain pump 230v 75lpm	P8-000305000	140.00

CLEARANCE Flow Meters - NET PRICES TO CLEAR (No Further Discounts)

Piisi K600/3 Oil Flow meter 6-60lpm



P8-F00496A20	176.08
--------------	--------

Pedrollo Centrifugal Pumps, Non Self Priming, For Diesel & Water

Pedrollo CP(m) 132A, 110v 120 lpm, 1"
 Pedrollo CP(m) 132A, 230v 120 lpm, 1"
 Pedrollo CP132A, 415v 120lpm, 1"



<u>Part No.</u>	<u>Trade</u>
P3211	432.00
P3224	360.00
P3241	398.75

Pedrollo HF(m)50a 1.5" 230v or 415v 300lpm
 Pedrollo HF5a 2.0" 230v or 415v 500lpm



P3490-1	362.00
P3500	525.50

Pedrollo 'Liquid Ring' Pumps, Self Priming (after initial prime), For Diesel & Water

Pedrollo CK(m)50, 110v 40lpm, 3/4"
 Pedrollo CK(m)50, 230v 40lpm, 3/4"
 Pedrollo CK(m)50, 230v 40lpm, 3/4" With internal By-Pass
 Pedrollo CK50, 415v 40lpm, 3/4"
 Pedrollo CK(m)80, 110v 50lpm, 1"
 Pedrollo CK(m)80, 230v 50lpm, 1"
 Pedrollo CK80, 415v, 50lpm, 1"



P3150-110	453.69
P3150-1	379.80
P3150-1-BP	400.00
P3150-3	402.53
P310-110	487.87
P3180	398.75
P3180-3	431.25

Pedrollo Peripheral Impeller - End Suction, For Diesel & Water

Pedrollo PKm 60 230v 5-40lpm
 Pedrollo PKm 65 230v 5-50lpm
 Pedrollo PKm 100 230v 5-70lpm



P3300	236.25
P3310	277.50
P3320	594.00

Pedrollo Jet Pump

Pedrollo 3CRm80 230v 5-70lpm
 Pedrollo 4CRm80 230v 5-80lpm
 Pedrollo 3CRm100 230v 5-110lpm



P3330	347.50
P3340	376.25
P3350	376.25

Pedrollo Submersible Pump

Pedrollo TOP 1 230v 20-140lpm
 Pedrollo TOP 2 230v 20-220lpm
 Pedrollo TOP 3 230v 20-260lpm
 Pedrollo TOP 4 230v 20-320lpm
 Pedrollo TOP 5 230v 20-400lpm



P3360	240.50
P3370	260.50
P3380	299.50
P3390	430.00
P3400	475.00

Submersible Low Voltage pumps for diesel/kerosene/water - 14 PSI/0.9bar x 32'/9.6m head.

Amazon 12v/18lpm 140mm x 40mm body, 1/2" Tail outlet
 Amazon 24v/18lpm 140mm x 40mm body, 1/2" Tail outlet



P3900	46.70
P3901	48.50

Amazon 12v/18lpm 140mm x 40mm body, CW 1/2" ID Hose

P3905	50.00
-------	-------

Congo 12v/36lpm 140mm x 40 mm body, 3/4" Tail Outlet
 Congo 24v/36lpm 140mm x 40mm body, 3/4" Tail Outlet



P3902	59.00
P3903	61.30

12v Low Cost Submersible pump for water and Diesel only
 18lpm Length 147mm X 52.5mm Diameter



P3904	26.12
-------	-------

Piusi

Piusi E80 M, Pump only, 230v, 80lpm, 1"BSP

P8-000305000	267.57
--------------	--------

Inline Diesel Filters & Replacement Filters

GROZ Filter

- 1" Filter Housing - Water and Particulate - 10 micron
- Replacement Filter - Particulate only - 10 micron
- Replacement Filter - Particulate & Water - 10 micron



Part No.	Trade
GFH3579-W	31.00
GFH3579-P-ELMNT	5.00
GFH3579-W-ELMN1	5.60

Golden Rod

- 1" Filter Housing - Particulate only - 15 micron
- Filter Housing - Particulate & Water - 15 micron
- Replacement filter - Particulate & Water



GFH3590	55.00
GFH3590-W	65.00
GFH3578-ELMNT	30.20

Baldwin Filters

- 1" Filter Housing - Particulate & Water 10 micron
- Replacement Filter - Particulate & Water 10 micron

GFH3578-W	78.00
GFH3579-W-ELMN1	5.60

Filter Bowl Spanner

Filter Wrench for **ALL** the above Filter bowls



GFH3579-S	5.00
-----------	------

Pump System upto 50lpm

- 1" Aluminium Head 1" BSP Ports UNF Filter Nose
- Filter Element 10 Micron Particulate only CT70010 UNF



GFH3581-A	8.50
GFH3580	6.30

Pump Systems up to 67 & 95lpm

- 1" Aluminium Head 1" BSP Ports UNF Filter Nose
- Filter Element Particulate & Water 10 micron CT70062 67lpm
- BIO** Filter Element Particulate & Water 2 micron CT70232 95lpm
- Filter Element Particulate only 10 micron CT70094 67lpm



GFH3581-A	8.50
GP129300-02	22.59
GP129340-04	39.75
GP129300-01	13.50

Pump Systems up to 150lpm

- 1" Aluminium Head 1" NPT ports 1.5"UNF Nose
- Aadaptor 1" BSPM-1"NPTM for the above
- Filter Element Particulate & Water 10 micron 1.5 UNF 113lpm
- BIO** Filter Element Particulate & Water 2 micron 1.5 UNF 150lpm



GP906005-67	45.95
MF1616N-MM-B	5.75
GP129320-02	69.00
GP129340-05	65.50

- 1" All Aluminium
- Replaceme 100 micron SS



M5080	48.81
M5080-RF	15.95

- 1" Aluminium Head
- Replaceme 100 micron SS



M5080-GL-4	20.29
M5080-GL-4-RF	8.33

- 2" All Aluminium High Flow Filter
- Replaceme 100 micron SS



M5200	244.35
M5200-RF-100	68.10

Replacement 30mic Gravity Particulate and water CT70066 1"3/8" UNF GFH3570 65.71

(For 1/4" 3/8" 1/2" & 3/4" Filters see page 6)

Fuel Hose Reels

Stock No

Trade

Hand Cranked Hose Reels - Stainless Steel

1"BSP In/Out, 20m 3/4"ID, 10m 1"ID
 1"BSP In/Out, 35m 3/4"ID, 20m 1"ID



GFH-SAV9620 705.00
 GFH-SAV9720 731.00

Spring Rewind Hose Reels - Stainless Steel

1"BSP In/Out, 13m 3/4"ID, 8m 1"ID
 1"BSP In/Out, 18m 3/4"ID, 15m 1"ID
 1"BSP In/Out, 20m 3/4"ID, Not for 1"ID
 1"BSP In/Out, 40m 3/4"ID, 30m 1"ID
 Adblue Convertible for Stainless Steel Reels
 Adblue Conversion Inlet Seal Kit Only For Stainless Steel Hose Reels



GFH-SAV1200 530.00
 GFH-SAV1300 766.00
 GFH-SAV3501 735.00
 GFH-SAV6001 1390.00
 Add 50.00
 GFH-SAV-ABSEAL 16.00

Spring Rewind Hose Reels - Painted Mild Steel

Available in Gray and Green *

1"BSP In/Out, 13m 3/4"ID, 8m 1"ID *
 1"BSP In/Out, 18m 3/4"ID, 15m 1"ID *
 1"BSP In/Out, 20m 3/4"ID, Not for 1"ID
 1"BSP In/Out, 40m 3/4"ID, 30m 1"ID

GFH-PAV1200 345.00
 GFH-PAV1300 497.00
 GFH-PAV3501 551.00
 GFH-PAV6001 1081.00

Fixed Hose Guide Reel - Stainless Steel

1"BSP In/Out, 30m 3/4"ID, 25m 1"ID



GFH-SAV5000 1057.00

Fixed Hose Guide Reel - Painted Mild Steel

1"BSP In/Out, 30m 3/4"ID, 25m 1"ID

GFH-PAV5000 819.00

Swiveling Wall Brackets - Stainless Steel

For 1200S
 For 1300S
 For 3501S



GFH-SAV-BRKT20 72.00
 GFH-SAV-BRKT22 143.00
 GFH-SAV-BRKT30 143.00

Swiveling Wall Brackets - Painted Mild Steel

For 1200P
 For 1300P
 For 3501P

GFH-PAV-BRKT20 48.00
 GFH-PAV-BRKT22 95.00
 GFH-PAV-BRKT30 95.00

Hose is NOT Supplied with any reel above, please see page 16 for Hose

Hose Bumpers and spares

Hose bumper For 1"ID Hose
 Hose bumper For 3/4"ID Hose
 SPRING FOR RATCHET - KIT 12
 MAIN REWIND SPRING FOR REEL 1300
 MAIN REWIND SPRING FOR REEL 1200
 VITON / VITON INLET SEAL FOR SS HOSE REELS – KIT 20 NEW

GFH-HB4940 20.00
 GFH-HB4941 20.00
 GFH-PAV-RS 4.15
 GFH-PAV1300-SPRING 165.65
 GFH-PAV1200-SPRING 124.30
 GFH-SAV-ABSEAL 16.67

Cam & Groove Couplings

Aluminium - Type A 1"
 Aluminium - Type B 1"
 Aluminium - Type C 1"
 Aluminium - Type D 1"
 Aluminium - Type E 1"
 Aluminium - Type F 1"
 Aluminium - Type DC 1"
 Aluminium - Type DP 1"



Aluminium - Type A 2"
 Aluminium - Type B 2"
 Aluminium - Type C 2"
 Aluminium - Type D 2"
 Aluminium - Type E 2"
 Aluminium - Type F 2"
 Aluminium - Type DC 2"
 Aluminium - Type DP 2"

<u>Part No.</u>	<u>Trade</u>
GFH4-A100AL	2.55
GFH4-B100AL	4.70
GFH4-C100AL	4.30
GFH4-D100AL	4.80
GFH4-E100AL	2.45
GFH4-F100AL	2.65
GFH4-DC100AL	4.05
GFH4-DP100AL	1.95
GFH4-A200AL	3.25
GFH4-B200AL	7.08
GFH4-C200AL	7.82
GFH4-D200AL	8.07
GFH4-E200AL	4.46
GFH4-F200AL	4.10
GFH4-DC200AL	6.07
GFH4-DP200AL	4.45

Also Available in Stainless or Brass, With Nitrile, Viton or EPDM Seals

POA

Hose Tails

Hose Tail 3/4" BSPT for 3/4" ID Hose, Aluminium
 Hose Tail 3/4" BSPT for 1" ID Hose, Aluminium
 Hose Tail 1" BSPP for 3/4" ID Hose, Aluminium
 Hose Tail 1" BSPT for 1" ID Hose, Aluminium
 Hose Tail 1" NPT for 1" ID Hose, Aluminium
 Hose Tail 2" BSP for 2" ID hose, Steel Plated
 Hose Tail 3/4" BSPT for 3/4" ID Hose, Stainless Steel



GFH3400	3.70
GFH3390	3.70
GFH3380	3.70
GFH3445	3.70
MF1616NMHTB	7.17
GFH3407	14.95
GFH3400-SS	4.95

Pressure Relief Valves (Adjustable)

3/4" NPT Nylon Bodied, Max 60c, 10 bar
 3/4" NPT Nylon Bodied, Max 60c, 17 bar
 3/4" NPT Bronze Bodied, Max 80c, 30 bar



GV3924	33.50
GV3924-17	39.52
GV3924-30	76.50

Glues & Thread Sealing Products

Heldite, General purpose sealant, 7ml
 Heldite, General purpose sealant, 125ml
 Heldite, General purpose sealant, 250ml
 Bondloc B243 Nutloc, Medium strength sealant, 250ml
 Bondloc B270 Threadloc, High strength sealant, 250ml
 PTFE Tape



M5001	1.25
M5005	8.42
M5010	14.92
M2370	47.62
M2355	36.50
M5020	0.45


Oil Line Fittings

		<u>Part No</u>	<u>Trade</u>
<u>Y Strainers, Brass, BSP F-F</u>			
1/2"		M5050	4.60
1"		M5056	9.54

Non-Return Valves, BSP , Brass, Nitrile Seal

3/8" F/F		GV3930	5.80
3/8" strainer only		GV3940	2.66
1/2" F/M		GV3955	5.05
1/2" BSP F/F MICROVALVE .14PSI NON RETURN VALVE		GV3955F	7.14
3/4" F/M		GV3957	6.20
3/4" F/F		GV3934	6.62
3/4" Strainer Only		GV3934-FO	2.75
1" F/F		GV3935	7.20
1" Fitted With Strainer		GV3910	8.25
1" Strainer Only		GV3910-F	2.75
2" F/F		GV3939	43.00
2" Male/Male Non-Return Valve		GV3975	35.00

Dry Break Couplings

Adblue Dry Break Coupling		DBC-1000-AB	150.00
---------------------------	--	-------------	--------

Ball Valves, BSP F-F, Plated Brass, Vinyl Coated Lever, British Gas Approved

1/4"		GV3641	3.00
1/2"		GV3643	4.30
1"		GV3645	9.60
2"		GV3660	40.50

T Handle Ball Valves

1" T Handle Ball Valve		GV3645-TF	9.80
1" T Handle Ball Valve, Stainless Steel		GV3645-TF-SS	33.35

Gatevalves, BSP F-F, Brass, Painted Steel On/Off Wheel (PN10 to PN20)

1"		GV3530	9.55
2"		GV3770	29.90
1" Angle Flow Valve, C/W Locking Bracket		GV3640	15.00
1" Locking Bracket for GV3530		GFH3630	3.10

Male male Extension

1" x 1" BSPM Aluminium extension 4.5" Long	B4548	3.70
1" x 1" BSPM Aluminium extension 9" Long	B4548-1	7.65
1" x 1" BSPM Aluminium extension 11" Long	B4548-2	8.45

DESCRIPTION

Stock No

Price

Stock No

Price

Stock No

Price

Material

Material

Material

M.IRON

BRASS

SS316

Equal Nipples (M/M)

1/4"

1/2"

3/4"

1"

2"

N/A		TL6010	2.25	N/A	
MF0808-MM	0.90	N/A		N/A	
MF1212-MM	1.80	N/A		N/A	
MF1616-MM	1.20	MF1616-MM-B	2.70	N/A	
MF3232-MM	3.85	MF3232-MM-B	19.60	MF3232-MM-S	12.10

Reducing Nipples (M/M)

3/8" to 1/4"

1/2" to 1/4"

1" to 1/2"

1" to 3/4"

N/A		MF0604-MM-B	1.20	N/A	
MF0804-MM	1.20	N/A		N/A	
MF1608-MM	3.15	N/A		N/A	
MF1612-MM	1.50	MF1612-MM-B	5.10	N/A	

Reducing Bushes (M/F)

1/4" to 1/8"

3/8" to 1/8"

1/2" to 3/8"

3/4" to 1/4"

3/4" to 1/2"

1" to 1/4"

1" to 1/2"

1" to 3/4"

N/A		MF0402-MF-B	1.20	N/A	
N/A		MF0602-MF-B	1.20	N/A	
N/A		MF0806-MF-B	1.20	N/A	
MF1204-MF	1.50	MF1204-MF-B	3.10	N/A	
MF1208-MF	1.50	MF1208-MF-B	3.10	MF1208-MHT-SS	6.00
N/A		MF1604-MF-B	3.20	N/A	
MF1608-MF	1.80	N/A		N/A	
MF1612-MF	1.90	MF1612-MF-B	3.00	N/A	

Equal 90 deg Elbows (F/F)

3/4"

1"

2"

N/A		MF1212-FF-90-B	3.30	MF1212-FF-90-S	4.20
MF1616-FF-90	1.50	MF1616-FF-90-B	1.80	MF1616-FF-90-S	7.20
N/A		MF3232-MF-90-B		MF3232-FF-90-S	16.10

Equal 45 deg Elbows (F/F)

2"

N/A		N/A		MF3232-FF-45-S	21.00
-----	--	-----	--	----------------	-------

Equal 90 deg Elbows (M/F)

3/4"

1"

2"

N/A		MF1212-MF-90-B	3.80	MF1212-MF-90-S	5.55
GFH3525	1.70	GFH3525-B	9.00	GFH3525-SS	6.00
MF3232-MF-90	6.50	N/A		MF3232-MF-90-S	19.80

Equal 45 deg Elbows (M/F)

MF1616-MF-45	6.60	N/A		N/A	
--------------	------	-----	--	-----	--

Equal Tee (F/F/F)

1/4"

3/8"

3/4"

1"

N/A		MF040404-FFF-B	2.50	MF040404-FFF-S	3.00
N/A		MF060606-FFF-B	2.70	N/A	
MF121212-FFF	1.80	MF121212-FFF-B	2.40	N/A	
MF161616-FFF	2.00	MF161616-FFF-B	6.00	MF161616-FFF-S	14.00

Breakaway Union

1" F-F

N/A		MF1616-FFBU-B	16.50	N/A	
-----	--	---------------	-------	-----	--

Compression Fittings

10mm - 8mm Straight		GFH3541	1.55		
10mm T (10x10x10)		MF101010-CCC-B	1.75		
10mm - 10mm Straight		GFH3530	1.55		
10mm-1/4" 90 degree		MF1004-CM-90-B	3.10		
10mm-1/2" Straight		MF1008-CM-B	1.20		
10mm-3/8" Straight		MF1006-CM-B	1.25		
10mm - 15 mm Straight		GFH3540	1.65		
10mm-10mm 90 degree		MFM1010-MM-90B			

Atkinson Equipment Ltd

Moat Road, West Wilts Trading Estate, Westbury, Wiltshire, BA13 4JF
Tel: 01373 822220 Fax: 01373 826996 E-mail Sales@atkinsonequipment.com

Application for 30 day nett account facilities

To open an account with the above company, please give the following information:-

Company Title _____ Telephone:- _____
Trading address _____ Fax:- _____
_____ E-mail:- _____
_____ Post Code _____

Registered Office (if different from above) _____

No. of year's trading:- _____ Date of Incorporation:- _____ Company Registration No:- _____

Are you a Sole Trader? Yes / No Partnership? Yes / No

If Sole Trader or Partnership please give name and address of Proprietor or Partners.

To make trading with us more efficient, please advise the following:-

Where should invoices be posted? _____

Who is responsible for payment of your account? Name:- _____

Who is responsible for the buying in your company? Name:- _____

Please list any other contacts that may be of use to us _____

Your Banks Name & Address:- _____

Business Reference 1)

Business Reference 2)

Tel:- _____

Tel:- _____

Fax:- _____

Fax:- _____

E-mail:- _____

E-mail:- _____

Please state (tick) the Nature/Classification of your Business:-

Heating and Plbg _____ Agricultural _____ Storage Tank _____ Fuel _____
Hydraulic and Hose _____ Commercial _____ Industrial _____ Other _____

Please Note: Payment is due 30 days from the end of the month of invoice. Failing to comply with these terms will result in the suspension of your account, and the possible withdrawal of your account facility, making the total account balance payable upon demand.

Signed _____ Date _____

Print name _____ Position _____

Revision: 28/07/10

ATKINSON EQUIPMENT LIMITED

TERMS & CONDITIONS FOR THE SUPPLY OF GOODS

The Customer's attention is drawn in particular to the provisions of Clause 10

1. Definitions

In these Conditions, the following definitions apply:

"Business Day" means a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business;

"Conditions" means the terms and conditions set out in this document;

"Contract" means the contract between the Supplier and the Customer for the sale and purchase of the Goods in accordance with these Conditions;

"Customer" means the person or firm who purchases the Goods from the Supplier;

"Force Majeure Event" means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable;

"Goods" means the goods (or any part of them) set out in the Order;

"Order" means the Customer's order for the Goods, as set out in the Customer's written acceptance of the Supplier's quotation; and

"Supplier" means Atkinson Equipment Limited, a private company limited by shares and incorporated in England and Wales with company number 01050233.

2. Basis of Contract

2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.

2.2 The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order are complete and accurate.

2.3 The Order shall only be deemed to be accepted when the Supplier acknowledges acceptance of the Order either orally or in writing, at which point the Contract shall come into existence.

2.4 The Customer acknowledges that it has not relied on any statement, promise, representation, assurance or warranty made or given by or on behalf of the Supplier which is not set out in the Contract.

2.5 Any samples, drawings, descriptive matter, or advertising produced by the Supplier and any descriptions or illustrations contained in the Supplier's website, catalogues or brochures are produced for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any contractual force.

3. Goods

3.1 The Goods are described in the Supplier's website, catalogues or brochures.

3.2 The Supplier reserves the right to amend the specification of the Goods if required by any applicable statutory or regulatory requirements or in line with any manufacturer's amendments.

3.3 The Supplier may, at the request of the Customer, provide technical advice to the Customer regarding use of the Goods, provided that such advice is given at the Customer's sole risk and the Supplier shall not be liable for any loss, damage or claim arising therefrom.

4. Delivery & Carriage

4.1 The Supplier shall deliver the Goods to the location set out in the Order or such other location as the parties may agree (the "Delivery Location") at any time after the Supplier notifies the Customer that the Goods are ready.

4.2 Delivery of the Goods shall be completed on the Goods' arrival at the Delivery Location. Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence.

4.3 The Supplier shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods. If the Supplier delivers fewer of the Goods than was ordered by the Customer or the Goods were damaged prior to arrival at the Delivery Location, the Customer must inform the Supplier in writing within three Business Days of the delivery.

5. Cancellation

5.1 The Customer may, by written notice to the Supplier, return stock Goods delivered to the Customer, provided that such Goods are (in the opinion of the Supplier) in new condition and remain covered by any applicable warranty time period specified by the manufacturer. Any returned stock Goods shall be subject to a restocking charge equal to 20% of the price paid for them by the Customer.

5.2 Any Goods made to the Customer's specification cannot be returned and must be paid for in full.

6. Warranty & Claims

6.1 No warranty is to be provided as to the Goods other than that of the manufacturer of the Goods, and shall be limited to repair or replacement of the Goods as advised by the manufacturer.

6.2 Any Goods which are believed to be defective and are covered by a manufacturer's warranty should be returned (at the Customer's expense) for inspection by the Supplier. The Supplier will provide to the best of its ability the contact details of any manufacturer or UK importer of any Goods.

- 6.3 Prior to any return of the Goods, the Customer must obtain from the Supplier a returns form and an authorisation number. The returns form, a copy of which is to be found at the back of the Supplier's price list, must accompany the returned Goods.
- 6.4 A claim for damages resulting from the suspected defectiveness of any Goods will be handled solely by the manufacturer of those Goods. The Supplier will not honour, handle, transfer, or follow up claims made against any manufacturer other than itself.
- 6.5 In respect of Goods of which the Supplier is the manufacturer (the "Atkinson Equipment Goods"), the Supplier warrants that on delivery, and for a period of 12 months from the date of delivery (the "Warranty Period"), the Goods shall:
- (a) conform in all material respects with their description;
 - (b) be free from material defects in design, material and workmanship; and
 - (c) be of satisfactory quality (within the meaning of the Sale of Goods Act 1979).
- 6.6 Subject to Clause 6.7, if:
- (a) the Customer gives notice in writing to the Supplier during the Warranty Period within a reasonable time of discovery that some or all of the Atkinson Equipment Goods do not comply with the warranty set out in clause 6.5;
 - (b) the Supplier is given a reasonable opportunity of examining such Atkinson Equipment Goods; and
 - (c) the Customer (if asked to do so by the Supplier) returns such Atkinson Equipment Goods to the Supplier's place of business at the Customer's expense,
- the Supplier shall repair or replace the defective Atkinson Equipment Goods. Whilst the Supplier will deal with any Customer's notice within a reasonable time period, the Customer accepts that the involvement of the Supplier's insurers may delay resolution of its claim.
- 6.7 The Supplier shall not be liable for Atkinson Equipment Goods' failure to comply with the warranty set out in clause 6.5 in any of the following events:
- (a) the Customer makes any further use of such Atkinson Equipment Goods after giving notice in accordance with clause 6.6;
 - (b) the defect arises because the Customer failed to follow the Supplier's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Atkinson Equipment Goods or (if there are none) good trade practice regarding the same;
 - (c) the defect arises as a result of the Supplier following any drawing, design or specification supplied by the Customer;
 - (d) the Customer alters or repairs such Atkinson Equipment Goods without the written consent of the Supplier;
 - (e) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or
 - (f) the Atkinson Equipment Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.
- 6.8 Except as provided in this clause 6, the Supplier shall have no liability to the Customer in respect of the Atkinson Equipment Goods' failure to comply with the warranty set out in clause 6.5.
- 6.9 The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.
- 7. Title & Risk**
- 7.1 The risk in the Goods shall pass to the Customer upon completion of delivery.
- 7.2 Title to the Goods shall not pass to the Customer until the Supplier receives payment in full (in cash or cleared funds) for the Goods and any other goods that the Supplier has supplied to the Customer in respect of which payment has become due, in which case title to the Goods shall pass at the time of payment of all such sums.
- 7.3 Until title to the Goods has passed to the Customer, the Customer shall:
- (a) store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the Supplier's property;
 - (b) not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;
 - (c) maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
 - (d) notify the Supplier immediately if it becomes subject to any of the events listed in clause 9.2; and
 - (e) give the Supplier such information relating to the Goods as the Supplier may require from time to time.
- 7.4 Subject to clause 7.5, the Customer may resell or use the Goods in the ordinary course of its business (but not otherwise) before the Supplier receives payment for the Goods. However, if the Customer resells the Goods before that time:
- (a) it does so as principal and not as the Supplier's agent; and
 - (b) title to the Goods shall pass from the Supplier to the Customer immediately before the time at which resale by the Customer occurs.
- 7.5 If before title to the Goods passes to the Customer, the Customer becomes subject to any of the events listed in clause 9.2, then, without limiting any other right or remedy the Supplier may have:
- (a) the Customer's right to resell the Goods or use them in the ordinary course of its business ceases immediately; and
 - (b) the Supplier may at any time:
 - (i) require the Customer to deliver up all Goods in its possession which have not been resold, or irrevocably incorporated into another product; and
 - (ii) if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.

8. Price & Payment

8.1 The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price set out in the Supplier's published price list in force as at the date of delivery.

8.2 The Supplier may, at any time before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods that is due to:

- (a) any factor beyond the Supplier's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
- (b) any request by the Customer to change the delivery date(s), quantities or types of Goods ordered, or the specification thereof; or
- (c) any delay caused by any instructions of the Customer or failure of the Customer to give the Supplier adequate or accurate information or instructions.

8.3 The price of the Goods is exclusive of the costs and charges of packaging, insurance and transport of the Goods, which shall be invoiced to the Customer.

8.4 The price of the Goods is exclusive of amounts in respect of value added tax ("VAT"). The Customer shall, on receipt of a valid VAT invoice from the Supplier, pay to the Supplier such additional amounts in respect of VAT as are chargeable on the supply of the Goods.

8.5 The Supplier may invoice the Customer for the Goods on or at any time after the completion of delivery.

8.6 The Customer shall pay the invoice in full and in cleared funds upon delivery or, in the case of a Customer with a credit account, within 30 calendar days from the end of the month of the invoice. Payment shall be made to the bank account nominated in writing by the Supplier. Time of payment is of the essence.

8.7 If the Customer fails to make any payment due to the Supplier under the Contract by the due date for payment, then the Customer shall pay interest on the overdue amount at the rate of 3% per annum above the base rate of the Bank of England from time to time. Such interest shall accrue on a monthly basis from the due date until actual payment of the overdue amount, whether before or after judgment. For the purposes of calculating the interest payable by the Customer, a part month shall be treated as a full month. The Customer shall pay the interest together with the overdue amount.

8.8 The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). The Supplier may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by the Supplier to the Customer.

9. Termination & Suspension

9.1 If the Customer becomes subject to any of the events listed in clause 9.2, the Supplier may terminate the Contract with immediate effect by giving written notice to the Customer.

9.2 For the purposes of clause 9.1, the relevant events are:

- (a) the Customer suspends, or threatens to suspend, payment of its debts, or admits inability to pay its debts, or (being a company or limited liability partnership) is deemed unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986, or (being an individual) is deemed either unable to pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 268 of the Insolvency Act 1986, or (being a partnership) has any partner to whom any of the foregoing apply;
- (b) the Customer's financial position deteriorates to such an extent that in the Supplier's opinion the Customer's capability to adequately fulfil its obligations under the Contract has been placed in jeopardy; and
- (c) (being an individual) the Customer dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his or her own affairs or becomes a patient under any mental health legislation.

9.3 If the Customer becomes subject to any of the events listed in clause 9.2(a) to clause 9.2(c), or the Supplier reasonably believes that the Customer is about to become subject to any of them, or if the Customer fails to pay any amount due under this Contract on the due date for payment, then the Supplier may, without limiting its other rights or remedies:

- (a) the Supplier may suspend provision of the Goods under the Contract or any other contract between the Customer and the Supplier;
- (b) terminate the Contract or any other contract between the Customer and the Supplier; or
- (c) require payment upon or in advance of delivery in respect of any undelivered Goods.

The Customer indemnifies the Supplier in respect of all costs and expenses (including, but not limited to, any legal costs or disbursements) incurred for or on behalf of the Supplier in enforcing its rights under clause 8 and this clause.

9.4 On termination of the Contract for any reason the Customer shall immediately pay to the Supplier all of the Supplier's outstanding unpaid invoices and interest.

9.5 Termination of the Contract, however arising shall not affect any of the parties' rights, remedies, obligations and liabilities that have accrued as at termination.

9.6 Clauses which expressly or by implication survive termination of the Contract shall continue in full force and effect.

10. Limitation of Liability

10.1 Nothing in these Conditions shall limit or exclude the Supplier's liability for:

- (a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);
- (b) fraud or fraudulent misrepresentation;
- (c) breach of the terms implied by section 12 of the Sale of Goods Act 1979;
- (d) defective products under the Consumer Protection Act 1987; or
- (e) any matter in respect of which it would be unlawful for the Supplier to exclude or restrict liability.

10.2 Subject to clause 10.1:

- (a) the Supplier shall under no circumstances whatever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract; and
- (b) the Supplier's total liability to the Customer in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the price of the Goods.

11. Assignment

- (a) The Supplier may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.
- (b) The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of the Supplier.

12. Severance

If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification or deletion of a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract.

13. Governing Law

The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with the law of England and Wales.

14. Jurisdiction

Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this Contract or its subject matter or formation (including non-contractual disputes or claims).

Important

Please read the terms and conditions carefully and then print, sign, date and email/fax back to us. Without this form being filled in a credit account cannot be set up.

Company Name

Name

(please print in block capitals)

Signed

Date

www.ekinsonequipment.com

Telephone: 01373 822220

Fax: 01373 826996

Revision 19/02/2014

Notes

Notes

Atkinson Equipment Limited

Moad Road, West Wilts Trading Estate, Westbury, Wiltshire, BA13 4JF Tel: 01373 822220 Fax: 01373 826996

VISIT OUR WEBSITE! www.atkinsonequipment.com BUY ONLINE : www.fueldump.co.uk

email: sales@atkinsonequipment.com
