

Tigerholm

AN SPX BRAND

Sitemap | SPX | SPX FT



TIGERHOLM HOME ABOUT US PRODUCTS DOWNLOAD LITERATURE FAQ REFERENCES CONTACT US DISTRIBUTORS
OTHER SPX FT BRANDS

Heating products - Tigex® 25



Tigex 25

Output up to 25 kW
Max. chimney height up to 8 m
Max. chimney dia./area Ø130 mm/169 cm²



NEW! Tigex 50 »

Output up to 100 kW
Max. chimney height up to 14 m
Max. chimney dia./area Ø200 mm/338 cm²

Tigex® 25 - draught stabiliser from SPX Tigerholm



Tigex draught stabiliser, developed and patented by SPX Tigerholm, is manufactured in stainless steel and is the market's only draught stabiliser with a fully balanced damper. In practical terms, this means it can be fitted in almost any position (angled, vertical or horizontal). Since its market introduction in Sweden in 1994, Tigex continues to be the first choice among the HVAC installers and boiler manufacturers of the private house segment.

TIGEX DRAUGHT STABILISER

Article No.	Description
60300E	Tigex 25 for mounting on flat collector box or bracket plate

TIGEX 25 DRAUGHT STABILISER

Article No.	Description
60390/100E	Tigex 25 with adapter for round flue pipe Ø 100 mm
60390/115E	Tigex 25 with adapter for round flue pipe Ø 115 mm
60390/120E	Tigex 25 with adapter for round flue pipe Ø 120 mm
60390/130E	Tigex 25 with adapter for round flue pipe Ø 130 mm
60390/150E	Tigex 25 with adapter for round flue pipe Ø 150 mm

BRACKET PLATES FOR INSULATED 90° TEE

Article No.	Description
60362E	Tigex 25 adapter for insulated T with OD 130 mm
60363E	Tigex 25 adapter for insulated T with OD 150 mm
60364E	Tigex 25 adapter for insulated T with OD 180 mm
60365E	Tigex 25 adapter for insulated T with OD 200 mm

BRACKET PLATES FOR TIGEX 25

Article No.	Description	Drawings (pdf)
60350E	for CTC 161, 171, 265, Total, Elkombi, EV 115, Regent and more	60350S
60351E	for CTC 130, 170, Egor TE71, D1, Värmebaronen, TMV & Diom	60351S
60352E	for Euronom A-25 och Norah 3000	60352S
60353E	for Soot door Nr. 1	60353S
60354E	för Soot door Nr. 2	60354S
60386E	for square flue pipes	60386S
60335E	for Focus	60335S
60361E	for CTC repair set	60361S
60355E	for embedding in brick (140 x 140 mm)	60355S

For other applications, please contact SPX Tigerholm

[↑ back to top](#)



60350



60351



60354



60355


Some common applications



Tigex 25 with integrated adapter (60390/130E) for round flue pipe Ø130 mm



Tigex 25 (60300E) with separate adapter (60364E) for insulated T with OD 180 mm



Tigex 25 with integrated adapter (60390/100E) for round flue pipe Ø100 mm



Tigex 25 (60300E) with separate adapter (60361E), shown at 45° angle



Tigex 25 (60300E) with separate adapter (60355E) for embedding in brick



Tigex 25 (60300E) with separate universal adapter (60351E), shown at 45° angle

[↑ back to top](#)

Product information



Downloads (Brochures, Leaflets and Instructions)

The Tigerholm product line includes:

- Heating products** Oil de-aerators, Oil de-aerator Bio, Oil filters, Oil hoses, Anti-siphon valve, Floating suction line, Draught stabilisers
- Plumbing products** NoTap Branch connection, NoTap Adapter for immersion pipe, NoTap Pipe blocking, NoTap Tool kits

SPX Tigerholm Products AB, Bryggavägen 113, SE-178 31 Ekerö, Sweden
 Phone: +46 8-560 340 30 Fax: +46 8-560 342 60 tigerholm.se@processequipment.spx.com
 Copyright © 2009 SPX Corporation
 webm@ster

